

**User's Guide**

# Adaptec Toast





Adaptec, Inc.  
691 South Milpitas Boulevard  
Milpitas, CA 95035

© 1997 Adaptec, Inc.  
All rights reserved. Adaptec, and the Adaptec logo are trade-  
marks of Adaptec, Inc. which may be registered in some  
jurisdictions.

Printed in Singapore  
PART NO.: 511777-00, Rev. A con 10/97

# Adaptec Toast

## **User's Guide**

**Copyright**

© 1997 Adaptec, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior written consent of Adaptec, Inc., 691 South Milpitas Blvd., Milpitas, CA 95035.

**Trademarks**

Adaptec, the Adaptec logo, and Toast are trademarks of Adaptec, Inc. which may be registered in some jurisdictions. Macintosh® is a registered trademark of Apple Computer, Inc., used under license.

All other trademarks are owned by their respective owners.

**Changes**

The material in this document is for information only and is subject to change without notice. While reasonable efforts have been made in the preparation of this document to assure its accuracy, Adaptec, Inc. assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.

Adaptec reserves the right to make changes in the product design without reservation and without notification to its users.

# ▼▼▼▼ Contents

## **1 Introduction**

New in Version 3.5 .....	1-2
Updates .....	1-3
Registration .....	1-3

## **2 Installation**

Running the Software .....	2-2
----------------------------	-----

## **3 Basics**

About CDs .....	3-1
Terminology .....	3-4
A Toaster's Checklist .....	3-11

## **4 Supported Formats**

Mac Volume .....	4-1
Mac Files & Folders .....	4-7
ISO 9660 .....	4-17
Audio CD .....	4-45
CD-i .....	4-51
Video CD .....	4-53
Enhanced Music CD .....	4-57
SCSI Copy .....	4-64
Disc Image .....	4-69
Multitrack CD-ROM XA .....	4-74
Mixed Mode CD .....	4-76

## **5 The Menus**

The File Menu .....	5-1
---------------------	-----

The Edit Menu .....	5-3
The Format Menu .....	5-6
The Recorder Menu .....	5-7
The Utilities Menu .....	5-9

## **6 Settings for Each Format**

Mac Volume Format .....	6-1
Mac Files & Folders Format .....	6-8
ISO 9660 Format .....	6-15
Settings .....	6-21
ISO 9660 – Multisession Format ...	6-27
Mac/ISO Hybrid Format .....	6-32
Toast's Greatest Hits & Audio CDs	6-35
CD-i Format .....	6-42
Video CD Format .....	6-43
Enhanced Music CD Format .....	6-45
SCSI Copy Format .....	6-49
Disc Image Format .....	6-52
Multitrack CD-ROM XA Format ...	6-54
Audio Tracks Format .....	6-55

## **7 Writing Discs**

What is Transfer Rate? .....	7-1
The Write Procedure .....	7-6
The Write Dialog Box .....	7-9
Writing a Session .....	7-10
After Writing .....	7-12

## **8 Toast Audio Extractor**

Getting Started .....	8-1
The Main Window .....	8-2

## **9 Appendix**


About CD-Rewritable Drives .....	A-1
----------------------------------	-----

## ***Contents***

Toast and AppleScript .....	A-3
Troubleshooting .....	A-5







# Introduction

Thank you for purchasing Adaptec Toast 3.5, the world's leading CD mastering software for the Macintosh. Toast is loaded with powerful features that will make your work easier. To get the most out of your new software, please take some time to review this manual.

Toast lets you create CDs in many popular formats:

- Mac Files & Folders, which lets you easily create an HFS CD containing any files or folders you choose.
- Mac Volume, which is used to copy an entire volume or partition to a CD in HFS format.
- ISO 9660, for making CDs which are compatible with a wide range of systems, including DOS, Windows, UNIX, Macintosh and more (now includes Joliet support for Windows 95 and WindowsNT.)
- Mac/ISO Hybrid, combines the benefits HFS and ISO on a single disc. Toast even lets you define "shared" data to save disc space.
- Audio CD for creating your own audio CDs that can be played in any standard CD player from existing CDs or from standard sound files.
- CD-i for writing preauthored CD-i images to disc.
- Enhanced Music CD (CD EXTRA) format that combines audio tracks and data.

- Video CD, creates CDs that can be played by Video CD or CD-i players.
- SCSI Copy for making a direct copy of a hard drive or CD.
- Disc Image format allows you to write previously created disc images to disc. (Such images can be created with Toast, or by other applications.)
- Multitrack CD-ROM XA for writing existing XA tracks to disc.
- Mixed Mode, combines data in HFS, ISO or any other format and audio tracks.

## **New in Version 3.5**

Toast 3.5 adds several important new features based on user feedback:

- Toast's Greatest Hits - Allows you to easily create your own compilation audio discs by combining your favorite tracks from your CDs. Tracks can be copied directly from audio discs without having to save them on your hard drive.<sup>1</sup>
- Audio Extraction- Save tracks from audio discs as standard AIFF sound files on your hard drive.<sup>2</sup>
- Joliet support in ISO 9660 format.
- Support for rewriteable drives.

---

<sup>1</sup> Requires SCSI Manager 4.3

<sup>2</sup> Requires SCSI Manager 4.3 and a CD-ROM drive that supports audio extraction

## **Updates**

Adaptec is committed to continuous improvement of all our products. We occasionally release updates to our software to incorporate support for new recorders and to correct any reported bugs. These updaters are available directly from our web site at <http://www.adaptec.com>

## **Registration**

To qualify for technical support and to ensure that you receive notification of new versions, please mail the registration card that came with the software.





# ...2

## Installation

The Toast installation disc includes installers in several languages. Each installer is contained in its own folder.

- 1 Insert the Toast disc in your CD-ROM drive.
- 2 Locate and open the appropriate language folder.
- 3 Double-click the Toast INSTALLER.
- 4 Follow the on-screen instructions to install Toast on your hard drive.



---

**Note:** Toast is a “FAT” binary, so the same application runs on either Power Macintoshes or 68K Macintoshes.

---

### About Toast CD Reader Extension


The *Toast CD Reader* extension is automatically installed in your Extensions folder. It allows you to use your CD recorder as a CD reader. *Toast CD Reader* is not required for writing CDs.

## Running the Software

Start Toast by double-clicking its icon.

The first time you run Toast, you must personalize the software.

After you have entered the personalization information, the main window appears.



The main functions of Toast are all easily accessible from the main window.

- The upper part of the window shows information about the CD format and any data that you have selected. This information includes how much data is selected and the total running time for the selected data.
- The lower part of the window shows information related to your CD recorder, including SCSI ID and recorder brand and model.





## Basics

### About CDs

A CD (compact disc) is 1.2 mm thick and has a diameter of 8 or 12 cm. Its data capacity is approximately 650 MB for 74-minutes discs and 550 MB for 63-minutes discs. The exact capacity varies from one brand of media to another.

The access time and data-transfer rate of a CD is typically much slower than a hard disk, although technological improvements have resulted in CD-ROM readers that read up to 8 times faster than the original single-speed drives.

The recordable part of a disc consists of (at least) three blocks:

- Lead-In block: holds the directory information; located on the innermost 4 mm of the disc's recording surface.
- Program block: holds the data or audio tracks and fills the next 33 mm of the disc.
- Lead-Out block: marks the end of the CD and fills the external 1 mm.

A CD is divided into sectors. The actual available size for data is 2352 bytes for each sector.

Different CD formats use that 2352 bytes in different ways. For example, an audio-CD uses all 2352 bytes for audio data, while data formats need several bytes for error detection and correction.

Each sector of a CD is again divided into logical blocks of 512, 1024 or 2048 bytes. The block sizes are part of the definition for each CD format.

## ***Toast User's Guide***

There are 5 different types of sectors:

### **Type 1: Red-Book Sector or Audio Sector**

2352 Audio Sample Bytes
-------------------------

### **Type 2: Yellow-Book Data Sector Mode 1**

Sync 12	Header 4	Data 2048	Error correction 288
------------	-------------	--------------	-------------------------

### **Type 3: Yellow-Book Data Sector Mode 2**

Sync 12	Header 4	Data 2336
------------	-------------	--------------

### **Type 4: CD-ROM XA and Green-Book Data Sector Mode 2-Form 1**

Sync 12	Header 4	Subheader 8	Data 2048	EC 280
------------	-------------	----------------	--------------	-----------

### **Type 5: CD-ROM XA and Green-Book Data Sector Mode 2-Form 2**

Sync 12	Header 4	Subheader 8	Data 2324	EC 4
------------	-------------	----------------	--------------	---------

- Type 1 sectors are audio sectors; they contain only audio samples (1 Sample = 4 bytes).
- Type 2 to 4 are data sectors used to store computer data
- Type 5 is a data sector used to store compressed audio and video data.
- Type 3 is very rarely used.

The standard recordable discs (12 cm diameter) can hold 63 or 74 minutes of data. The capacity of a CD is measured in time (minutes:seconds:frames - 1 frame = 1 sector) rather than megabytes because CDs were originally conceived to store only audio data.

The data for Audio CDs is 16 bit/44.1 kHz, stereo, that is, each audio sample occupies 4 bytes (16 bits = 2 bytes per channel), and one second of audio contains 44,100 samples. Because an audio sector (type 1; 2352 bytes/sector) contains only audio samples:  $2352/4 =$



## **Basics**

588 samples/sector. One second contains 75 sectors:  $44.100/588 = 75$  sectors/second. Therefore a 74 min. CD-R contains 333,000 sectors ( $4,440 * 75$ ).

The number of megabytes a CD can hold depends on the type of sectors used on the disc:

- If only type 1 sectors are used, these 333,000 sectors correspond to approximately 747 MB of audio data ( $333,000 * 2352$  bytes).
- If types 2 or 4 are used, they correspond to approximately 650 MB of data ( $333,000 * 2048$  bytes).

If a disc is read with a standard, single speed CD-ROM drive, 150 kilobytes of data are read per second (75 sectors \* 2048 bytes in one second).

## Terminology

A list of commonly used terms and definitions follows.

### **AIFF**

"Audio Interchange File Format," created by Apple as a standard file format for saving sound files of any type.

### **Audio Sectors**

Audio sectors are made up of the sound data you hear plus error correction data. Audio sectors cannot be read with a standard CD-ROM drive. Many CD-ROM drives do, however, offer the ability to convert audio data to computer data. (see previous section "About CDs").

### **Audio Tracks**

Audio tracks are simply a collection of **audio sectors**. These tracks are playable on standard audio-CD-players. For the audio-CD players to be able to recognize and play the tracks, the tracks must always be in the **FIRST session** on the CD.

### **Blue Book**

The Blue Book specifies the CD EXTRA standard for interactive CDs. A CD EXTRA (also known as **Enhanced CD**) is a multisession CD which contains audio tracks in its first session followed by a data track in the second session.

### **CD**

A CD (Compact Disc) consists of up to approx. 333,000 sectors.

### **CD Extra - see Enhanced Music CD**

## **CD-i**

CD-i (Compact Disc Interactive) is a computer system developed by Philips. It is able to read discs in the following formats: CD-i, **Video CD** and Photo CD. A disc in CD-i format consists of one CD-i track with mode 2 sectors (types 4 and 5, see previous section "About CDs"). A CD-i is specified in the "**Green Book**". Opposed to other CD-ROM XA discs, a CD-i track has no entry in the **TOC**.

## **CD-Recordable (CD-R)**

CD recordables are special compact discs that can record data by using a special laser that "burns" microscopic holes in the recording layer. These pits can then be read by standard CD readers. Recordable CDs are somewhat more fragile than standard CDs, so care should be taken in their storage and handling. The label side is particularly delicate.

## **CD-ROM Tracks**

CD-ROM tracks are made up of mode1 sectors (type 2, see previous section "About CDs") and are used for many file systems such as **HFS**, **ISO 9660**, and others.

## **Disc-At-Once**

Disc-at-once is a method of recording CDs whereby the entire CD is recorded in one pass without turning off the laser. The advantages of disc-at-once are twofold:

- No run-out sectors are generated, which means that the pause between each track can be made any length (songs can actually run together).
- If you are creating audio CDs to be commercially reproduced, it is normally necessary to record them in disc-at-once mode as run-out sectors will often be interpreted as irrecoverable errors. Not all CD-recorders can record in disc-at-once mode.

## **Disc Images**

- They contain all needed data to create a CD (as opposed to virtual images which contain only references to the data).
- Most disc images can be mounted to check contents and functionality (Video CD disc images cannot be mounted).

## ***Toast User's Guide***

- Mounted disc images appear just like any other volume on the desktop.
- If the disc image was created from a Mac format ("Mac Files & Folders" or "Mac Volume"), the contents can be modified after mounting (all other disc images appear as write-protected volumes)

## **Enhanced Music CD / CD Extra**

CD Extra is the new standard for interactive albums defined in the Blue Book. These discs consist of two sessions. The first session consists of pure audio tracks, the second session consists of a data track in a restricted format. If a CD Extra is inserted into an audio CD player only the audio tracks are visible; the data session cannot be played.

Not all discs containing an audio session and an additional data session are CD Extras! The data tracks must contain special information such as MPEG still pictures, etc. Special software is needed to create a CD Extra file structure or a **QuAC file**.

## **Green Book**

The Green Book describes the details of the CD-i format (Compact Disc Interactive).

## **HFS**

Hierarchical File System. HFS is the standard Macintosh file system. Because of the Mac's ability to use long file names and the unique data fork/resource fork structure of Mac files, HFS is not conformant to **ISO** Standard. On a CD recorded in HFS format, each session is represented as a separate **volume** on the desktop.

Both "Mac Files & Folders" and "Mac Volume" formats create CDs in the HFS format.

## **Index / Index-Point**

Every sector contains an index which is a number between 0 and 99. Index 0 and 1 have special meanings: 0 indicates a **pause** sector and 1 the beginning of the data in a track.

## **ISO 9660**

ISO 9660 format is a standard for cross-platform CD-ROMs. Discs created in this format can be read by many different operating systems, including Mac, Windows, DOS, UNIX, etc.

However, since ISO 9660 does not support long file names, custom icons or saved directory settings (that is, “view by Icon”), it is less than ideal for discs intended only for Macintosh users.

## **ISRC-Code**

The ISRC-Code holds the "serial number" of each track in a standardized format (as prescribed by the Red Book). ISRC codes cannot be set in Toast, *Adaptec Jam* has to be used to define these codes.

## **Media Catalog Number**

The Media Catalog Number (MCN) is a unique identification number for the CD (UPC/EAN Bar-Code). It is issued centrally by the EAN authority and consists of a series of 13 consecutive digits. The MCN can be defined only in *Adaptec Jam*.

## **Mixed Mode CD**

A mixed mode CD consists of one data track and several audio tracks. Data and audio are written in one session. The data track is always placed before the audio tracks on the disc and this order cannot be changed.

The Mixed Mode format has generally been superseded by the audio/data **Multisession** format, where the first session consists of audio tracks and the second session consists of data (**CD Extra** or second session in **HFS**, **ISO 9660 XA**, Mac/ISO Hybrid XA format).

## **MPEG**

MPEG is a standardized compression method for audio and video data. Because of its very high compression rates, MPEG makes it possible to play full screen/full motion video from a CD. MPEG tracks consist entirely of mode2 form2 sectors and are mostly found on **Video CDs** and **CD-i** discs.

### **Multisession**

A multisession CD consists of multiple sessions, each recorded at a different time. Each of the sessions are linked together in such a way that only one logical device appears when the CD is mounted. Not all CD-recorders can record this type of CD and not all CD-ROM drives can read them.

### **Multivolume**

A multivolume CD consists of multiple sessions, each recorded at a different time. Each of the sessions are completely independent of one another so that when the CD is mounted, each session appears as an individual logical volume. Not all CD-recorders can record this type of CD and not all CD-ROM drives can read them. NOTE: **HFS** CDs can only be multivolume, not multisession.

### **Orange Book**

The Orange Book is the name of the standard developed by Sony and Philips for recordable CDs (CD-Rs). Part II of the Orange Book describes the structure of an empty CD-R and the recording procedure on a physical level.

### **Pause**

A data CD recorded in **track-at-once mode** contains 150 sectors (2 seconds) of pause and 2 **run-out sectors** between each track.

On a **mixed-mode CD** (data + audio) written in track-at-once mode the gap equals 377 sectors: 375 of pause and 2 run-out sectors.

A CD with multiple **audio tracks** written in track-at-once mode has gaps of 150 sectors pause and 2 run-out sectors. CDs recorded in **disc-at-once mode** do not have a fixed number of sectors between tracks.

### **Q-Codes**

Q-Codes contain extra information about sectors such as the **ISRC code**, the **Media Catalog Number**, and the **indices**.

### **QuAC File**

In 1995 Apple introduced the **QuickTime Audio Containable** standard for documents that contain information for music CDs as well as pictures and optional interactive controls. QuAC files can be created with the “Apple Interactive Music Toolkit™” (AIMT).

### **Red Book**

The Red Book is the original CD-DA (Compact Disc Digital Audio) standard developed by Sony and Philips. The Red Book defines the format in which an audio CD must be recorded so that an audio CD-player can play it. It also specifies what a CD-player must do to play audio CDs correctly. A CD recorded in accordance with the Red Book standard can be played in any CD-player.

### **Run-Out Sectors**

Run-out sectors are created because the write laser beam cannot be turned off immediately upon termination of data recording. Consequently, 2 sectors are allocated to be “wasted” as the laser shuts down.

### **Scrambling**

Data on a CD is scrambled (the bits of data are not recorded one after another in sequential order; the data is mixed up in a predefined pattern.) The recorder scrambles the data while writing and the CD player descrambles them when reading.

### **Session**

A session is a collection of one or more tracks. Each recording procedure generates a session that contains all the tracks recorded at that time. A CD recorded in multiple recording sessions is known as a **multisession** CD.

### **TOC**

The TOC (table-of-contents) contains a list of the contents of a CD. The TOC contains an entry for each session and each track which lists the **index** 1 of each track (except **CD-i** tracks which have no entry in the TOC). The end or length of the track or session is not recorded in the TOC.

## **Track**

The track is the smallest logical unit on a CD. A track is a minimum of 600 sectors in length and a CD can contain up to 99 tracks. There are three types of tracks: **audio tracks**, **CD-ROM tracks** and **XA/CD-i tracks**. Each track must be preceded by 150 empty sectors.

A CD recorded in **disc-at-once mode** requires only the 150 sectors before track 1.

## **Track-At-Once**

The track-at-once mode records each track of a CD individually with 150 empty sectors immediately preceding it. **Run-out sectors** are created at the end of each track.

## **Video CD**

VIDEO CD format is used to record full-motion video or movies on a CD. Playing a Video CD requires special equipment, including an MPEG decoding system.

Use the Video CD format, if you want to write a “**White Book**” compatible Video CD that can be played on Video CD and CD-i players. A Video CD track must always be placed in the first session of a disc.

## **White Book**

The White Book describes the data format of a **Video CD**.

## **XA / CD-i Tracks**

These tracks contain only mode2 sectors and are used for **ISO 9660** XA CDs, **CD-is**, **Video CDs** and Photo CDs.

## **Yellow Book**

The Yellow Book is a document that specifies all parameters for CD-ROMs. The adherence to these parameters guarantees that the CD can be used on all CD-ROM drives. The Yellow Book does not, however, specify the data structures.



## A Toaster's Checklist

Here are some hints for making your CD mastering work as successful as possible:

- Make sure your recorder is connected properly, using as short a cable as possible.
- Verify that your SCSI chain is correctly terminated.
- Keep the entire SCSI chain as short as possible.
- If you encounter speed problems, temporarily remove all unneeded SCSI devices (*particularly scanners and SyQuest drives*).
- Disable all but essential extensions.
- Check the data transfer rate before writing (see "Checking the Transfer Rate" on page 7-1)
- Allocate most of your unused RAM to the RAM Cache (in Preferences from the Edit menu).
- Before writing with a new system configuration or when writing in a format for the first time, write in *Simulation Mode* first.

## The Optimal System Configuration

Several factors affect the hardware requirements for CD recording. In general, writing at higher speed (2x, 4x, 6x, etc) requires a faster computer and a faster hard drive.

We recommend using a Macintosh with 68040 processor or Power Mac with at least 16 MB of free RAM. (*More RAM can help alleviate data transfer irregularities.*)

Due to the limited SCSI performance of most PowerBook computers, they are not capable of writing CDs at high speed.

Several of Toast's features require SCSI Manager 4.3. Macintoshes that support the SCSI Manager 4.3 are capable of significantly higher transfer rates.

You can see if your Macintosh supports SCSI Manager 4.3 by running Toast and looking at the way your recorder is identified in main window. If "Bus x ID y" is displayed, your Macintosh supports

SCSI Manager 4.3; if only the SCSI ID is displayed (no Bus), it does not.



---

**Note:** 68040 and PowerPC Macintoshes support SCSI Manager 4.3. **Only newer PowerBooks like the 2400 and 3400 support SCSI Manager 4.3.**

---

Toast requires System 7.0 or above (we recommend using at least System 7.5).

The extensions "Drag & Drop Manager" and "Thread Manager" have to be installed when they are not part of the system (as in System 7.5.x). If they are not installed, they are added automatically during the installation of Toast. The "Drag & Drop Manager" requires System 7.1. With System 7.0 you will not be able to drag any items onto the Toast window; data can only be selected using the dialog boxes.

## Writing a CD

Writing a CD with Toast consists of four basic steps:

- 1** Choose a CD format,
- 2** Select the desired data,
- 3** Verify that you have sufficient data transfer speed,
- 4** Click the **Write CD...** button.

In many cases you can simply drag the data you want from the Finder onto the Toast window to select it.

Toast offers many tools for refining your data selection, and for creating complex CDs in just a few simple steps. For more information, read the section on each format later in this manual.

## **IMPORTANT NOTE**

Writing CDs requires a significant amount of computing power. To maximize your success, we recommend turning off all but essential extensions and control panels when writing CDs. What is essential varies depending on your application, but generally you can run with ALL extensions off, except as noted below:

- To copy directly from another CD-ROM drive, you will need to run the driver software for that CD-ROM drive (for example, an Apple CD-ROM drive uses two extensions: APPLE CD-ROM and FOREIGN FILE ACCESS).
- To copy from a network volume, you will need the networking drivers. These may include APPLESARE, OPEN TRANSPORT, NETWORK, APPLETALK, TCP/IP, among others.

In addition, to maximize your data transfer rates, you may want to disconnect any extra SCSI devices. SyQuest drives and scanners in particular have been known to slow down the SCSI chain (see “What to do if “Check Speed” fails” on page 7-4).





# 4

## Supported Formats

### Mac Volume

The Mac Volume format is used to write the entire contents of a local volume or partition to the CD in HFS format.

### Areas of Application

Use Mac Volume :

- To copy an entire volume (hard disk, partition, cartridge, etc. ) to a disc exactly as it is.
- To precisely control the visual appearance of the disc.
- To publish a disc.
- To create a bootable CD
- To define a file on the disc that is to be opened automatically when the disc is inserted.
- To optimize the data for faster access.

For detailed information on this format as well as its settings see “Mac Volume Format” on page 6-1.

### Writing a Disc

To write a disc in the Mac Volume format


- 1 Prepare your source volume exactly as it should appear on the disc.

Since an identical copy of your source volume is created, icons, position and order of windows and objects, etc. are faithfully copied from the source volume to the disc.

If you don't have a hard disk volume or partition that contains only the data for the CD, you can use Toast to create a Temporary Partition to hold the data (see "Create Temporary Partition" on page 5-10).

- 2** Choose Mac Volume from the Format menu and click Data....

The following window is displayed:



- 3** Highlight the desired volume in the upper part of the dialog box.

You can only select volumes with the comment "ok to write". Depending on the settings you choose, the comments might change.

- 4** Select any additional features using the checkboxes:
  - **Optimize on-the-fly** to have Toast automatically defragment your data.
  - **Don't copy free space**, if you are not optimizing.

For detailed information on the various settings see "Mac Volume Format" on page 6-1.

- 5** Click **OK**.

## Supported Formats

The amount of the selected data and the associated settings is displayed on the main window:



- 6 Choose **Check Aliases** from the Utilities menu.

Select the desired volume and click **OK** (see "The Utilities Menu" on page 5-9).

- 7 Click **Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

When the test is completed, click **Done**.

For more information on the data rate see "What is Transfer Rate?" on page 7-1.

- 8 Insert a recordable CD in your writer. This disc may be either empty or contain data that has been written as a session.

To determine if the inserted disc is still recordable, you can choose Disc Info from the Recorder menu .

- 9 Click **Write CD....**

The following dialog will be displayed:



- 10 Verify that the desired writing speed is selected in the pop-up menu.

- 11** If you may want to add data to this disc later, click Write Session. (If your source volume contains more than 625 MB this option is disabled. )

If you want the disc to be closed so that no further data can be added later, click **Write Disc**.

The writing process will begin at the selected speed. When all the data is written, Toast will automatically verify the data.

For additional information on this format see "Mac Volume Format" on page 6-1.



## Example: Creating a Disc for Publication

### Your Situation and Your Goal:

You want to write a pure Macintosh HFS disc, ready to be duplicated at a disc manufacturing plant.

- The data includes numerous small files and many customized icons.
- You have a hard disk at your disposal that contains only the data that is to be written.
- You want the disc to hold as much data as possible.
- Your clients' convenience when using the disc is of highest importance to you.

### Procedure:

- 1 Prepare the data to be written exactly as you want it to appear on the disc. Since the appearance of each window is important, open each folder and arrange the files in your preferred layout. (Remember, the disc will keep everything just as you left it, including view, label settings, and icon positions).
- 2 Open Toast and choose Mac Volume from the Format menu.
- 3 Click **Data...**:



- 4 Because you are using customized icons for many items and there are many smaller files on your hard disk, it is very important to optimize the data.
- 5 Check the option **Optimize for Size**.

This ensures that the icons are displayed rapidly after mounting and that you make the most efficient use of the space on your disc. Leave the other options unchecked.

- 6 Click **OK**, load the data.

A figure for the entire amount of data is displayed on the main window, which corresponds to the figure that is displayed as Used in the Info dialog box. This figure might be bigger than the free space on your CD-recordable.

However, since you have selected **Optimize for Size** and your data includes many small files, this figure will most probably be reduced during optimization.

- 7 To make sure all aliases point to target files that are placed on the same volume, choose **Check Aliases** from the Utilities menu.

Select your hard disk to have it checked.

- 8 To make sure that the selected amount of data will fit onto your disc after optimizing, click **Check Speed**....

Before the data rate is actually checked, the data is prepared for optimization:



---

**Note:** Once the checking of the data rate has begun, you can cancel the process, because you are just checking the amount of data after optimization.

---

- 9 Click **Done** to cancel.

The main window now indicates how much space your data will actually use on the CD. If it is still too large for your disc, you must delete files from your hard disk and repeat the procedure.

- 10 Check the data rate before writing and write the disc.

## **Mac Files & Folders**

Mac Files & Folders is a variation of the HFS format which allows you to select any combination of files, folders and volumes as the source for your data. It is even possible to select items from network volumes (depends on network bandwidth).

### **Areas of Application**

Choose Mac Files & Folders format:

- For easy backups
- For rapid data archiving
- To write open files, for example, the currently used system files on your startup volume
- To control the treatment of aliases. Mac Files & Folders allows you to determine for each alias whether the alias itself or the target file will be written to the CD.


To prepare a disc for publishing purposes, we strongly recommend using the format Mac Volume, since Mac Files & Folders gives you only limited control over the layout of your disc.

### **Writing a Disc**


To use the Mac Files & Folders format:

- 1** Start Toast and choose Mac Files & Folders from the Format menu.
- 2** Click **Data....**

The following window is displayed.



- 3 Either click **Add...** and select the desired items:




Click **Add** until all items are selected. Then click **Done**.

*Or*

Drag files and folders that you want to be written to the disc from the Finder onto the window. (You do not have to select

### Supported Formats

everything at once. Drag as many times as necessary to include all the desired files.)




Depending on what you drag into the empty window, your results will be different:

If you drag . . .	Then . . .
One folder	This folder is made into a disc. Name of the folder = Name of the disc Icon of the folder - Icon of the disc Contents of the folder = Contents of the disc
One folder while the control button is pressed	A new untitled disc is created, the folder is placed on the top level in the folder hierarchy
Several folders	A new untitled disc is created; all folders are placed on the top level in the folder hierarchy
One or several files	A new untitled disc is created, all files are placed on the top level in the folder hierarchy
Folders and files	A new untitled disc is created; all objects are placed on the top level in the folder hierarchy

**4** After selecting all your data, click **Done**.

The size of the selected data will be displayed in the main window:



**Note:** Toast allows you to save your setup so you can use it later. Simply choose the **Save As** command from the File menu.

**5** Click **Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

**6** When the test is completed, click **Done**.

**7** Insert a recordable CD in your writer. This disc may be empty or may contain data that has been written as a session.

To determine if the inserted disc is still recordable, choose **Disc Info** from the Recorder menu.

**8** Click **Write CD....** The following dialog box is displayed:



**9** Verify that the desired writing speed is selected in the pop-up menu.

**10** If you may want to add data to this disc later, click **Write Session**. (If your source volume contains more than 625 MB this option is disabled. )

### ***Supported Formats***

To close the disc so that no further data can be added later, click **Write Disc**.


The writing process begins at the selected speed. When all the data is written, Toast automatically verifies the data.

For additional information on this format see “Mac Files & Folders Format” on page 6-8.

## Example 1: Backup with Aliases

### Your Situation and Your Goal:

You want to create a backup of your clients' data. To make your work easier, you have created several aliases. This is the folder that is to be backed up:



The folders “John” and “Francis” should be copied exactly as they appear originally. The folder “Clark” contains aliases that should be loaded in different ways.

- The alias “*January*” points to another hard disk, that contains already completed projects. In this case the original should be written instead of the alias.
- The folder “*February*” should be copied exactly as it is.
- The folder “*March*” contains references to target files that are located in the folder “*February*”. So those files are not written twice, they should be written as aliases to the disc.

### Procedure:

- 1 Choose Mac Files & Folders from the Format menu and click **Data....**

The empty selection window is displayed.

- 2 Click **New CD** to create an empty disc for your backup.



### Supported Formats

- 3 Change the name of the disc to "Backup." Double-click the disc icon to open the information window where you can specify the new name.


- 4 Click **New Folder**. Name this folder "Clients A-K."

(Note: If all aliases were treated alike, you could drag the original folder "Clients A-K" onto the selection window.)

- 5 Drag the two folders "John" and "Francis" over the folder "Clients A-K" you have just created, since those folders are to be written to the disc without any changes. Since these folders do not contain any aliases, you need not choose any other settings.


- 6 Click **New Folder**. Name this folder "Clark".

Drag this folder over the folder "Clients A-K" in order to place it on the same level in the folder hierarchy as "John" and "Francis".



- 7 Check the option **Resolve Aliases** and drag the alias "January" over the folder "Clark".


Instead of the alias the original data will now be loaded from the second hard disk.



- 8 Uncheck the option **Resolve Aliases** (the box next to it is not xed) and drag the two folders "February" and "March" over the folder "Clark".

If you look at the contents of the folder "March" (to do this, click on the small arrow icon so that it points to the bottom),

you will see from the italics, that the two aliases "*Picture DEF*" and "*Picture XYZ*" were loaded instead of the original files.



- 9 Load all further data for your backup, click **Done**, check the data rate and write the disc.

## **Example 2: Folders with Customized Icons**

### **Your Situation and Your Goal:**

You want to create the same backup as in example 1, but you prefer icons other than the standard icons, both for the disc and the folder "Clients A-K". However, you cannot change any icons in Toast itself.

### **Procedure:**

- 1 If you create an empty disk as in example 1, you will not have an opportunity to change the icon later. Therefore, you must change the icons on the Finder level.
- 2 Create a new folder on a hard disk and name it "Backup".
- 3 Copy the icon of your choice for the disc from a suitable source.
- 4 Highlight the newly created folder and choose **Get Info...** from the File menu of the Finder.

## Supported Formats


- 5 Highlight the icon displayed there by clicking with the mouse and insert the icon by choosing **Paste** from the Edit menu of the Finder.



- 6 Repeat steps 1) - 4) for the folder "Clients A-K".
- 7 Choose Mac Files & Folders from the Format menu in Toast and click Data....
- 8 Drag the empty folder "Backup" that contains the icon of your choice onto the selection window. The folder will be made into the disc. The icon is displayed in this folder as an invisible file (displayed as a "grayed" icon).



- 9 Now drag the folder "Clients A-K" onto the disc icon, so that it is placed in the top level of the folder hierarchy.



- 10 Now continue to import your data as described in example 1.

### Example 3: Backup over a Network

#### Your Situation and Your Goal:

You want to create a backup from various computers in the network. To do so you choose a time of day when the network will not be busy.



---

**Note:** Not all networks are fast enough to support direct writing to CD. Be sure to check the speed before trying to write from the network.

---

#### Procedure:

- 1 Choose Mac Files & Folders from the Format menu and click Data....
- 2 Click New CD and name the disc, for example, "Backup Jan 20, 96".
- 3 Now mount all the volumes that contain the data to be backed up.
- 4 Drag the data that is to be written into the selection window in Toast.
- 5 When you have selected all the data, click **Done**.



---

**Note:** Since the data has not been loaded from locally mounted volumes, Toast will use the desktop files of your startup volume for the disc.

---

- 6 Check the speed for all the selected data. To do this click **Check Speed**....

Go through the entire checking routine! When the selected data is not located on local volumes, the data rate is extremely important. In case of an insufficient data rate you could create a disc image before writing (for details on possible problems and solutions see "What to do if "Check Speed" fails" on page 7-4.)

- 7 Write the disc.

## ISO 9660

The ISO 9660 format is a standard for cross-platform CD-ROMs. Discs created in this format can be read by many different operating systems, including Mac, DOS, UNIX, etc.

Toast can create standard ISO discs, as well as ISOdiscs with Joliet extensions which preserve the long file name structures from Windows95 and WindowsNT.

Since ISO 9660 does not support custom icons or saved directory settings (i.e. “view by Icon”), it is less than ideal for discs intended only for Macintosh users.



---

**Note:** Toast also supports a special ISO option which preserves Macintosh file names. Discs written using this option are only useable on Macintosh computers.

---

## Areas of Application

“ISO 9660” format should be used when:

- You want to write a disc that can be run on several platforms, for example, Windows, Windows 95, UNIX, Atari, Amiga, Macintosh, etc.
- You want to write multisession CDs where all sessions are mounted as a single volume (in contrast to HFS Multivolume where each session appears as a separate volume).
- You prefer incremental backups for your backup purposes, that is, only the data that has changed since the last session is written to the disc. Unchanged data is never written to the disc more than once, saving space and time.


For detailed information on this format as well as its settings see “ISO 9660 Format” on page 6-15.

## Writing the First ISO Session


To write the first or only session of an ISO 9660 disc, proceed as described below:

- 1 Choose ISO 9660 from the Format menu.
- 2 Click **Data...**

The following window is displayed:



- 3 Either click **Add...**:




Click **Add** until all the desired data is selected. Then click **Done**.

*Or*

## Supported Formats

Drag files and folders that you want to be written to the disc from the Finder onto this window.




Depending on what you drag onto the empty window, your results will be different:

If you drag . . .	Result
One Folder	The folder is made into a disc. Name of the folder = Name of the disc Icon of the folder = Icon of the disc
One folder while the control button is pressed	A new untitled disc is created; the folder is placed on the top level in the folder hierarchy
Several folders	A new untitled disc is created; all folders are placed on the top level in the folder hierarchy
One or several files	A new untitled disc is created; all files are placed on the top level in the folder hierarchy
Folders and files	A new untitled disc is created; all objects are placed on the top level in the folder hierarchy

- 4 Click the Settings tab at the top edge of the window.

The following window appears:



- 5 Select a data format from the Format menu:
  - Choose the format CD-ROM XA, if you want to be able to add more sessions to this disc later.
  - Choose the format CD-ROM, if you do not intend to add more data to the disc later.
- 6 Choose a Naming option for your files and folders. Toast automatically converts file names to conform to the naming option selected.
- 7 Click **Done**.

The number of files and folders, the size of the selected data, and the space they will occupy on the disc will be displayed in the main window:



---

**Note:** Toast allows you to save your setup so you can use it later. Simply choose the **Save as** command from the File menu.

---

- 8 Click **Check Speed....**



## Supported Formats

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

When the test is completed, click **Done**.

- 9 Insert a recordable CD in your writer. This disc may be either empty or contain data that has been previously written as a session.

To determine if the inserted disc is still recordable, you can choose Disc Info from the Recorder menu .

- 10 Click **Write CD....**

The following dialog box is displayed:



- 11 Verify that the desired writing speed is selected in the pop-up menu.
- 12 If you may want to add data to this disc later, click **Write Session**. (If your source volume contains more than 625 MB this option is disabled.)
- 13 If you want the disc to be closed so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed. When all the data is written, Toast automatically verifies the data.

For additional information on this format see "ISO 9660 Format" on page 6-15.

## Writing an Additional ISO Session

This section covers the procedure for adding an additional ISO session to a disc containing one or more ISO sessions.

For detailed information on this format as well as its settings see “ISO 9660 – Multisession Format” on page 6-27.

If you add a new session to the disc and want to make sure that the data from the previous sessions is still accessible, follow these steps:

- 1 Choose ISO 9660 from the Format menu and click **Data....**

- 2 Drag the data of your choice onto the window.

For details on the data selection see the previous section, “Writing the First ISO Session”.

- 3 Click the Settings tab.

Make sure that the format CD-ROM XA is selected and that you select the same naming option that you used in the previous session.

For information on importing previous sessions from a disc see “Importing a Session from a Disc” on page 6-29.

- 4 Click **Done**.

The size of the selected data will be displayed in the main window.

- 5 Click **Check Speed....**

- 6 When the Data rate has been checked, click **Done**.

- 7 Insert the ISO disc to which you want to add the data into your CD recorder.

To verify that the inserted disc is really the disc to which you want to add the data, you can choose Disc Info from the Recorder menu.

- 8 Click **Write CD....**

The following dialog box is displayed:



- 9 Choose **Ignore Existing Sessions**, if you do not want previously written sessions visible when inserting the disc. (it will be as if the data from the old sessions was deleted from the disc.)
- 10 Choose **Append to** [*Name of last session*], to make all sessions visible when you insert the disc.
- 11 Click **OK**.

The following dialog box is displayed:



- 12 Click **Write Session**, if you want to add data to this disc later.
- 13 Click **Write Disc**, if you want the disc to be closed so that no further data can be added later.



---

**Note:** If the setting CD-ROM was chosen for the previous session, you will be unable to add a new session to the disc!

---


The writing process will begin at the selected speed. When it is completed, the data will be verified automatically.

For additional information on this format see "ISO 9660 – Multisession Format" on page 6-27.

## **Example 1: Daily Backups of a Current Project**

### **Your Situation and Your Goal:**

You are working on a project for client "Smith" and you would like to backup your work daily. The project is placed in a folder that has the following structure:



You never change the basic structure of this folder. You only add data, or change or delete existing data.

Since many files do not change every day, you want only new data to be written to the disc to save space and time.

You only want the most recent version of the files to be visible on the disc.

### **Procedure:**

You begin by backing up all the data to a blank disc, then adding the changed data to the same disc when you backup again.


- 1** Choose ISO 9600 from the Format menu and click **Data....**

The empty selection window will be displayed.

- 2** Drag the folder "Smith" onto the selection window. A new disc is created with the folder name "Smith" as its name.

## Supported Formats

As an example, we will now look at the subfolder “Pictures” of the folder “Ads”:



This folder contains three pictures “Car boot”, “Car driver’s side” and “Logo”.

### 3 Click **Settings**.

- Choose CD-ROM XA as format
- Allow Macintosh Names as naming option.
- Also check Use Apple Extensions.



**Note:** You can click **Set Defaults...** to save these settings so you won’t have to reselect them each time you backup.

### 4 Click **Done**.


The size of the selected data will be displayed in the main window.

### 5 Click **Check Speed...** to check the transfer rate.

### 6 Click **Write CD...** and then **Write Session**.


All the selected data will be written to the disc.

When finished, the data in our example would look something like this:



**When you are ready to back-up the changed data.**

- 1 Again, choose ISO 9660 and click **Data...**
- 2 Drag the same folder "Smith" onto the selection window.  
These are the differences:



The file "Logo" was deleted, the file "Logo new" was added.

The picture "Car front side" was added.

- 3 Verify that you have selected CD-ROM XA as format, Macintosh Names as naming option and that Apple Extensions are activated, then click **Done**.
- 4 Click **Write CD...**

The following dialog box is displayed:




- 5 Check the option **Incremental Backup** and click **OK**.

Toast now checks which files were changed, deleted, or added. After checking, only the size of the data that is actually to be written is displayed in MB in the main window.

- 6 Click **Write Session** in the next dialog box.  
Only the changed data will be written to the disc.

After writing, the folder “Pictures” will look like this:



The picture “Logo” is not visible any more, because it was deleted from the source folder.



---

**Note:** if any files have exactly the same name and the same modification date and are placed in the same file structure as in the previous session, they will not be written to the disc again.

---

## **Example 2: Specific Rearrangement of Old Sessions**

### **Your Situation and Your Goal:**

At the conclusion of your project “Smith” (as described above), you obtain a hard disk from your client that contains further data. You want to write this data to your disc without saving it on your hard disk first. Your client’s hard disk contains a folder with new pictures. You want to arrange these pictures on the disc so that they appear in the appropriate existing folders.


As an example, we will again look at the subfolder “Pictures” of the folder “Ads”.

### **Procedure:**

- 1** Start Toast and insert the disc with the project “Smith” in the recorder.
- 2** Choose ISO 9660 from the Format menu and click **Data....**  
The empty selection window will be displayed.


- 3 Select **Import Session...** from the pop-up menu in the window.

Toast will read all sessions of the inserted disc and display them in a window:



- 4 Highlight the last session (it contains the newest data), select **Merged** and click **OK**.

The entire file structure of the imported session will now be displayed in the selection window:




The files that are marked with a disc icon have already been written to the disc (all files in this case).


- 5 Click **New Folder**.  
A new folder is created on the top level in the folder hierarchy.
- 6 Double-click the new folder.



The following window is displayed:




- 7 Name the folder "Originals" and click **OK**.
- 8 Drag the new folder over the subfolder "Pictures" of the folder "Ads".



- 9 Now drag all the pictures you want from you client's hard disk over the folder "Originals" and click **Done** (this example assumes that you have already defined the correct settings for format and naming option as default in example 1).
- 10 Check the transfer rate and click **Write CD**.
- 11 Click **Write Disc** in the dialog now displayed, because the project is to be concluded with this session.

Toast will write only the new data that you have selected. The file structure and the data of the last imported session will be retained.

After writing, the disc looks like this:



### Example 3: Placing old Sessions in a Folder

#### Your Situation and Your Goal:

You are beginning a new project for your client Smith. You want to keep all the files from the old project, but you want them marked as “old projects”.

#### Procedure:

- 1 Start Toast and insert the disc with the old projects in your recorder.
- 2 Choose **ISO 9660** from the Format menu and click **Data....**
- 3 Click **New CD** and name it “Smith projects”.
- 4 Drag the files and folders from the new project onto the window.

They will appear at the top level of the folder hierarchy.



- 5 Choose **Import Session** from the pop-up menu in the window.

## Supported Formats


Toast reads and displays the contents of the disc.



- 6 Highlight the last session (it contains all the data) and choose the option Put into a directory. Click **OK**.


The previous session appears as a folder on the top level in the folder hierarchy.

- 7 Change the name of the folder that contains the old session to "Smith old" and click **Done**.



- 8 Check the data transfer rate and write the disc.

When finished, the disc looks something like this:



The folder "Smith old" contains the data from previous sessions, while the folder "Mailing February" contains the new project.

## **Mac/ISO Hybrid**

The HYBRID format combines both ISO 9660 and HFS format on a single disc. This allows Macintosh users to see the normal icons and window positions for the data, while maintaining complete compatibility with DOS/Windows systems (and others).

## **Areas of Application**

HYBRID format should be used when:

You want to write discs that can be read on a Macintosh and on a PC, with the Macintosh data visible only to Macintosh users and the ISO data visible only to other users.

Hybrid format is ideal for:

- Multimedia applications intended for both Macintosh and DOS/Windows.
- Writing picture, sound, or text files that can be read on both platforms.
- Software created for both platforms that you want to deliver on a single disc.
- As the second session of an audio CD, so that the audio tracks are only shown on an Audio CD player and the computer data only on a computer (many people mistake this for CD Extra).

For detailed information on this format as well as its settings see “Mac/ISO Hybrid Format” on page 6-32.

## **Writing the Disc**

A disc can contain only one Hybrid session. This session can be written as a first session or as the second session of an audio CD.

A Mac/ISO Hybrid disc uses two data sources: a Macintosh volume and a group of files/folders that are selected to be the ISO data.

### **1 Preparing the Data for the Macintosh Part of the Disc**

The Macintosh part of the Hybrid disc must be created from a Macintosh volume (hard disk, temporary partition, hard partition, etc.).

This volume should contain:

- Files and folders that will only be visible on the Macintosh and
- Files and folders that will be visible to both the Macintosh and ISO users. This is referred to as the “shared data” (these files will be written to the disc only once).



---

**Note:** The Macintosh volume will be copied exactly to the disc, including window sizes, positions and view settings. If the arrangement of the windows is important to you, be sure to prepare the volume accordingly.

---

### **2 Preparing the Data for the ISO Part of the Disc**

Generally, no special preparation is needed for the ISO part, since you can choose files and folders one by one for writing. However, if you intend to prepare the disc for publishing, we recommend you collect the ISO data in a folder. This will help you to avoid mistakes and also makes the data selection easier. The determination of which data is shared occurs while selecting the ISO data (see below).

### **3 Selecting the Macintosh Data**

To select the Macintosh data for the Hybrid disc:

- a** Choose **Mac/ISO Hybrid** from the Format menu.

**b** Click **Mac....**

The following window is displayed:



**c** Highlight the volume of your choice in the upper part of the window.

Check **Optimize** to avoid problems relating to sector sizes and to make the disc as responsive as possible. Click **OK**.

The size of the selected data is displayed in the main window.


For detailed information on this format as well as its settings see "Mac Volume Format" on page 6-1.

**4** **Selecting the exclusive ISO Data**

To select the exclusive ISO data for the Hybrid disc:

**a** Click **ISO....**

An empty selection window is displayed:



- b** Drag the ISO data onto the selection window or click **Add....**

Any files that are not placed on the selected Macintosh volume will be displayed in black print.

## **5 Selecting the Shared Data**


- a** Now drag any shared data **from the Macintosh volume** selected in step "C" to the desired location in the ISO file structure or click **Add...** to select them.

Files and folders may have different names in the Mac and in the ISO part.

Shared files are displayed in blue (only the files, not the folders). These files will be written to the disc only once but will be visible by both Mac and PC users.

## **6 Settings**

- a** Click the Settings tab. The following window is displayed:




- Choose the format CD-ROM XA, if the Hybrid session will be the second session of an audio CD.
  - Choose CD-ROM, if this is to be the only session on the disc.
- b** Choose a Naming option for files and folders.

## 7 Writing a Disc

- a** When you have selected all the data and chosen the correct settings, click **Done**.

The selected data is displayed in the main window:



**Note:** Toast allows you to save your setup so you can use it later. Simply choose the **Save as** command from the File menu.

- b** Click **Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

When the test is completed, click **Done**.



## Supported Formats

**c** Insert a recordable CD in your writer.

**d** Click **Write CD...**

The following dialog box is displayed:



**e** Verify that the desired writing speed is selected in the pop-up menu.

**f** Click **Write Disc** (writing a session is not recommended for Hybrid discs).

The writing process begins at the selected speed.

When all the data is written, Toast automatically verifies the data.

For additional information on this format see “Mac/ISO Hybrid Format” on page 6-32; also see “ISO 9660 Format” on page 6-15.

## Example 1: Creating a Disc for Publication

### Your Situation and Your Goal:


You want to write a Hybrid disc that will be submitted for manufacturing. You have created a multimedia application that has different applications (executables) for Macintosh and PC but that uses the same supporting data files.

**For the Macintosh part** you have a hard disk at your disposal that contains all the Macintosh data together with the shared data. You have arranged the hard disk so that the main window is open and only the executable application is visible:



The multimedia application for the Macintosh on a Macintosh volume.

**For the ISO part** you have created a folder on another hard disk, that contains data that will be visible only to PC users:



**The data for the PC**

The folder "DOS" is empty at the moment, it will later contain the shared data.



**Note:** It is no longer necessary to create aliases for shared data (as required in older versions of Toast); however, this method will still work. Toast realizes if an alias points to a target file on the selected Macintosh volume and will write this file only once (if **Resolve aliases** is checked).

With some authoring applications it may cause problems if you use different names for shared data on the Macintosh and PC sides. We recommend that you use names of the format 8.3 characters for all shared files. (*Check with the publisher of your authoring applications for information on handling shared data files.*)

## Supported Formats

For details on restrictions for the naming options see “ISO 9660 Format” on page 6-15.


### Procedure:

- 1 Choose **Mac/ISO Hybrid** from the Format menu.
- 2 Click **Mac....**
- 3 Highlight the hard disk that contains the Macintosh data and the shared data. Since you intend to publish the disc, you want the data arrangement on the disc to be as perfect as possible. Therefore, check the option **Optimize**. Do not check the other options. Click **OK**.


If your system configuration is not fast enough to optimize on-the-fly, you can save a disc image of all the data before writing (see below).

- 4 Click **ISO....**  
The empty selection window is displayed.
- 5 Drag the folder containing the ISO data onto the window.


All these files belong exclusively to the ISO part, so all file names are displayed in black:



- 6 In the Finder highlight the files on the selected Macintosh volume that are to be shared by the Macintosh and ISO parts of the disc.



- 7 Drag these files onto the folder "DOS" in the ISO window.  
The shared files are displayed in blue:




All files in the folder "DOS" are shared, since they have already been selected as part of the Mac volume.

- 8 Click **Settings** and choose the following options:
  - Format: CD-ROM
  - Naming: Allow MS-DOS Names
  - Append Version numbers: not checked
  - Use Apple extensions: not checked
- 9 Click **OK**.


## Supported Formats

The size of the selected data will be displayed in the main window:



### 10 Click **Check Speed....**

Before the checking routine begins, the optimization process will be prepared:



After this, the speed check routine will start. Be sure to allow the check to finish if you are unsure whether your system is fast enough to optimize on-the-fly. Click **Done**.

### 11 Click **Write CD....**

If the result of the speed check was negative, check the option **Create Disc Image First** and click **OK**. (If a disc image is created, you will be asked to specify a location for storing the image file).

The writing process starts automatically after saving.

## Example 2: Creating a Disc that Only Contains Shared Data

### Your Situation and Your Goal:

You want to create a disc that contains graphics and text files. Since you do not know whether the disc will be used on a Mac or a PC, you decide to write a Hybrid disc. (You could also use the pure ISO 9660 format, but it does not allow control over the placement and appearance of files as HFS does.)


You have collected all the data in a folder, rather than having it on a volume which contains no other data. Consequently, you create a temporary partition for the Macintosh part and copy the data into it.

### Procedure:

#### 1 Creating a Temporary Partition

- a Make sure that you have a hard disk connected with enough free space to duplicate all the data to be written.
- b Choose Create Temporary Partition from the Utilities menu.

The following window will be displayed:



- c Enter a size for the partition that is about 2 MB larger than the data to be copied. (You can use the GET INFO command in the Finder to determine the size of the data.)

Select a volume that contains sufficient free space and click **OK**.


The temporary partition will be created. A single file (the "image file") the size of the partition will be created on the volume you selected; the partition itself will be mounted on the desktop.

## Supported Formats

For details on temporary partitions see “Create Temporary Partition” on page 5-10

- d Copy the contents of your folder into the mounted partition by dragging it onto the icon of the mounted partition (not the icon of the image file).

Arrange the data as you would like it to appear on the finished disc:



**Note:** If you have chosen a custom font for displaying file names (using the VIEWS control panel), it is a good idea to reset the font to the default setting of “9 pt Geneva” before arranging the icons. This will help ensure that the windows look the way you intended when viewed on another Macintosh.

## 2 Selecting the Data for the Macintosh Part

- a Choose **Mac/ISO Hybrid** from the Format menu and click **Mac....**

The Mac Volume selection window is displayed:



- b** Highlight the temporary partition and check the option Optimize. Click **OK**.

**3** Selecting the Data for the ISO Part

- a** Click **ISO....**

The empty selection window will be displayed.

- b** Drag the same partition onto the window that you have selected for the Macintosh part.


All the data will be recognized as shared and will be written to the disc only once.

- c** Click the Settings tab.

- d** Select **Joliet** (MS-DOS + Windows95) from the naming menu

- e** Click **Done**.

- f** The size of the data selected is displayed in the main window.



- g** Check the data rate and write the disc.



## Audio CD

The Audio CD format records audio tracks on the CD in the format used by standard consumer CD players.

### Areas of Application

Use the Audio CD format to write a standard audio CD. The discs can be played on all audio CD players, as long as the audio data is placed in the first session of the disc.

For detailed information on this format as well as its settings see "Toast's Greatest Hits & Audio CDs" on page 6-35.

### Introduction to Toast's Greatest Hits

Toast's Greatest Hits is a great new feature that lets you create audio CDs by simply dragging tracks from existing CDs or sound files onto the Toast track list.

- Tracks can be copied directly from the original CD without saving them to a hard drive first. You can even select tracks from different CDs and Toast will prompt you to insert the correct source CD while writing the new disc.
- Toast can also write audio CDs from standard Mac sound files. Toast recognizes SoundDesigner II or AIFF sound files (they must be in 16-bit, 44.1 kHz format)

You can combine these two methods.



---


**Note:** Direct copying of audio tracks requires a CD-ROM drive that supports audio extraction and a Macintosh that supports SCSI Manager 4.3.

---


## Writing an Audio CD

- 1 Choose **Audio CD** from the Format menu.
- 2 Click **Audio....**

The Audio Tracks window is displayed:



- 3 Drag the audio files or tracks that are to be written to the disc from the Finder onto the window:




- 4 or click **Add...** and select the desired files.

The selected items are displayed in the Audio Tracks window. You can click and drag on items in the list to rearrange them.



**Note:** Toast uses the disc and track names which have been entered with the AppleCD Audio Player. If the selected tracks have already been named, the names will appear in the track list.

If you select a track belonging to a CD that has not been named, Toast prompts you to give the CD a name:




You can also specify names for each track. *Names entered in Toast are saved in the same database used by the AppleCD Audio Player.*

- 5 Double-click on any item in the track list to display the naming dialog:




- 6 Enter the desired track name(s) then click **OK**. You can use the arrows to move to a different track. If you change the name of a track that is based on a sound file rather than a CD track, the name of the source file is changed.

- 7 Toast automatically inserts a 2-second gap between each track. If desired, you can specify a different gap using the Pause menu. The menu will set the pause *before* the selected track(s).



If your recorder does not support pauses of less than two seconds, you may see this message:



Check the Toast READ ME file on the installation disc for more information.

- 8 When all files are loaded, click **Done**.

The total length of the selected tracks will be displayed in the main window:



- 9 Click **Check Speed...**

Toast reads all the selected tracks to determine if your system is fast enough to write the disc in the chosen speed.

## Supported Formats

If you have selected tracks from more than one CD, Toast will prompt you to insert the appropriate disc as it reads each track:



- 10 When the test is complete, click **Done**.
- 11 Insert a blank recordable CD in your writer.

To make sure the inserted disc is empty, choose **Disc Info** from the Recorder menu.

- 12 Click **Write CD**....

If you have selected tracks from more than one disc, Toast displays a list of the discs you need:



- 13 Make sure you have all the required source discs, then click OK. This window is displayed:



- 14 Verify that the desired writing speed is selected in the pop-up menu.
- 15 If you want to add data to this disc later, click **Write Session**. *(If your audio files occupy more than 625 MB or if you selected 99 files this option is disabled.)*



---

**WARNING:** Standard audio players can read tracks from the first session only!

---

- 16 If you want the disc to be closed so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed.

Toast prompts you to insert the appropriate source disc as it reads each track:



---

**Note:** Audio files cannot be verified after writing.

---

For additional information on this format see “Toast’s Greatest Hits & Audio CDs” on page 6-35.

## CD-i

The CD-i (compact disc interactive) format is designed primarily for multimedia applications and games. CD-i discs require special playback equipment.

### Areas of Application and Requirements

Use the CD-i format to write a disc that can be played on CD-i players.


- To write a CD-i, you need a completely mastered CD-i disc image that contains the entire data and target files. Such images can be created with a CD-i authoring system such as MediaMogul.
- You can also load CD-i disc images that were created with “ASTARTE CD-Copy” from an existing CD-i. You cannot create CD-i links with Toast, or import “dyuv” files or videos into Toast.

For detailed information on this format as well as its settings see “CD-i Format” on page 6-42.

### Writing a CD-i


- 1 Choose **CD-i** from the Format menu and click **Data....**

The standard file selection dialog is displayed:



- 2 Select the desired CD-i image and click **Open**.  
Or drag the disc image onto the main window.

The size of the selected data is displayed in the main window:



**3 Click Check Speed....**

Toast reads the selected data to determine if your system is fast enough to write the disc in the chosen speed.

**4 When the test is completed, click Done.**

**5 Insert a blank recordable in your CD recorder.**

To make sure the inserted disc is empty, choose **Disc Info** from the Recorder menu.

**6 Click Write CD....**

The following dialog box is displayed:



**7 To add data to this disc later, click Write Session. (THIS IS NOT RECOMMENDED FOR CD-i FORMAT!).**

**8 To close the disc so that no further data can be added later, click Write Disc.**

The writing process is started in the selected speed.

CD-i data cannot be verified after writing.

For additional information on this format see "CD-i Format" on page 6-42.



## Video CD

The VIDEO CD format is used to record full-motion video or movies on a CD. Playing a Video CD requires special equipment, including an MPEG decoding system.

### Areas of Application and Requirements

Use the Video CD format to write a White Book-compatible Video CD that can be played on Video CD and CD-i players. A Video CD track must always be placed in the first session of a disc.

To write a Video CD, you need the following data:

- A Video CD disc image, that contains the MPEG-stream(s), menu pages, and links (this file is created by a Video CD authoring systems) or
- MPEG streams that were created with “ASTARTE M. Pack” (version 1.02 or later).

### Preparing Your MPEG Files

You have to use the following settings for encoding and multiplexing in “ASTARTE M. Pack”:

- Basic Settings: Format ‘ Custom; Target System ‘ Video CD
- Video: Format ‘ PAL or NTSC
- Audio: Bit Rate ‘ 224 KBit/s
- Multiplex: Toast-Ready ‘ checked.



---

**Note:** Video CDs created directly from M.Pack MPEG streams will not have menus; they simply play their video tracks in the order they were added to the list.

---

For detailed information on this format as well as its settings see “Video CD Format” on page 6-43.

## Writing a Video CD

- 1 Choose **Video CD** from the Format menu and click **Data...**

The following dialog box is displayed:




- 2 Choose one of the two possibilities:

**a** A Video CD image file

The standard file selector dialog, from which you can choose a disc image, is displayed.


**b** One or more MPEG streams

The following window is displayed:




## Supported Formats

- 3 Enter the name for the disc, drag the MPEG-streams of your choice onto the window (or use the **Add...** button, and click **OK**.



- 4 The loaded data is displayed in the main window:
  - a If you have loaded a disc image:



- b If you have loaded MPEG streams:



- 5 Click **Check Speed...**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.
- 6 When the test is completed, click **Done**.
- 7 Insert a recordable CD in your writer.
- 8 Click **Write CD...**

The following dialog is displayed:



- 9 Verify that the desired writing speed is selected in the pop-up menu.
- 10 If you want to add data to this disc later, click **Write Session**.  
(THIS IS NOT RECOMMENDED for VideoCD format!)
- 11 To close the disc so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed.

Video CD data cannot be verified after writing.

For additional information on this format see "Video CD Format" on page 6-43.

## Enhanced Music CD

The Enhanced CD (CD Extra, formerly known as CD Plus) format combines audio tracks and graphic files on a disc that can be played using special applications that allow you to view the graphics while hearing the sound.



---

**Note:** Creation of Enhanced Music CDs can be complex. This section is intended only as an overview of the process. We recommend that you refer to the documentation included with your Enhanced Music CD authoring system for more information.

---

### Areas of Application and Requirements

Use the format “Enhanced Music CD” (or “CD Extra”, formerly “CD Plus”), if you want to write a Blue Book-compatible disc. An Enhanced Music CD track always occupies the **second session of an audio CD**.

To write an Enhanced CD, you must create the associated file/folder structure as it is defined in the Blue Book, or you need a corresponding QuAC file created with the “Apple Interactive Music Toolkit™” (AIMT).

In the past an Enhanced CD was often misunderstood to be simply a disc that contained one audio session and any other data session (in HFS, ISO 9660 XA or Hybrid XA format) as its second session. Such discs do not actually comply with the Blue Book standard. If you are not concerned with compliance to the standard, you can write a second session using the techniques discussed earlier.

A CD Extra disc written with Toast is always written as a Hybrid disc with shared data for the Macintosh and the PC.

For detailed information on this format as well as its settings see “Enhanced Music CD Format” on page 6-45.

## Writing an Enhanced Music CD

Start with a CD that already has audio tracks written as its first session.

- 1 Copy the QuAC file onto a Macintosh volume. (If the volume already contains data, this data will also be visible on the Macintosh part of the disc)

*or*

Create a CD Extra directory structure on a Macintosh volume.

For details on QuAC files and CD Extra directory structures see "CD EXTRA Hierarchies" on page 6-47.

- 2 Choose **Enhanced Music CD** from the Format menu and click **Data...**


The following dialog box is displayed:



- 3 Highlight the volume that contains the required file structure or the QuAC file.

Toast will verify that the volume contains the required data structure for an Enhanced CD. If the structure does not conform to the Blue Book specifications, Toast will report which files or other elements are missing.

The selected data is displayed:



## Supported Formats

If there was a QuAC file on the volume, Toast generates a CD Extra directory structure based on its contents. A new folder named “CD Extra” is then placed on the volume.

- 4 The folder “CD Extra” contains all the data that is “shared” (visible on both the Mac and ISO parts of the disc). Although this data is visible on both the Macintosh and the PC it is written only once to the disc.

Drag any additional files that you want into the “CD Extra” folder.



---

**Note:** Toast uses the MS-DOS naming conventions for the ISO part of this Hybrid disc. Make sure all your files and folders conform to the 8.3 naming format.

---

You can also drag aliases which point to items located on the same Mac volume onto the “CD Extra” folder. This allows shared data to be placed in different directory structures on the Macintosh and on the PC.

- 5 Click **Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

When the test is completed, click **Done**.

- 6 Insert the disc that contains the audio session in your CD recorder.

To check if the inserted disc contains an audio session, you can choose **Disc Info** from the Recorder menu.

- 7 Click **Write CD....**

The following dialog box is displayed:



- 8** If you want to add data to this disc later, click **Write Session**.  
(THIS IS NOT RECOMMENDED for this format!)

To close the disc so that no further data can be added later,  
click **Write Disc**.

The writing process begins at the selected speed.

Enhanced Music CD data cannot be verified after writing.

For additional information on this format see "Enhanced Music CD  
Format" on page 6-45.



## Example: Creating a CD Extra with Additional Data for Macintosh and PC

### Your Situation and Your Goal:

You wish to produce an audio CD with additional computer data. The disc should conform to the Blue Book specification to have the “CD Extra” label. You created a QuAC file with the software “Apple Interactive Music Toolkit™”. This QuAC file contains all desired information about the audio tracks on the disc.


For marketing purposes you want to put an additional multimedia presentation that describes your company on the disc. This presentation was created with the authoring tool “Macromedia Director™”. You have created different applications (executables) for Macintosh and PC, but you want to share the supporting data files (Director™ documents and QuickTime™ movies).

### Procedure:

- 1 Write all audio tracks on a blank CD-R. Be sure to choose the option **Write Session**, not **Write Disc**.

For more control over pauses, ISRC codes and MCN you could use the optional software “Toast CD-DA” for mastering the audio session.

- 2 Prepare a Macintosh volume that contains only the following data:




- The QuAC file,
- The Director™ application for the Mac and
- All Director™ documents and videos, which are accessed by the Mac and the PC application (in a folder named “DOCS”).

- 3 Choose **Enhanced Music CD** from the Format menu. Click **Data....**




- 4 Select the volume, check **Optimize** and click **OK**.
- 5 The following dialog box is displayed:



If there were more than one QuAC file on the volume you could now select the correct one. In this example there is only one QuAC file on the volume. Click **Yes**.

- 6 Go back to the Finder and see how the volume has changed:



Toast created a "CD Extra" folder out of the QuAC file which contains the directory structure defined in the Blue Book.

- 7 The folder "CD Extra" is shared, that is, it contains all the data that will be visible on the Macintosh and on the PC. All other items are visible only on the Macintosh.

### ***Supported Formats***

To make the multimedia application visible on the PC, copy the PC executable and other files needed on the PC into the folder "CD Extra".

Then create an alias of the folder "DOCS" (it contains all Director™ documents and QuickTime™ movies which are to be shared) and drag this alias onto the folder "CD Extra" (don't forget to change the name of the alias so that the PC application can find the folder and the contained files).

- 8** Go back to Toast, check the data rate, and write the disc.

The integrity of the directory structure will be checked again before writing.

## **SCSI Copy**

SCSI Copy lets you copy directly from one SCSI device (such as a CD-ROM drive) to a CD.

### **Areas of Application and Requirements**

Use the SCSI Copy format to create the exact copy of a SCSI device, for example, hard disks, CD-ROM drives with a disc inserted, magneto-optical drives with a cartridge inserted, ZIP drives with a disk inserted, etc.

You must observe the following restrictions:


- Since SCSI Copy makes an exact copy of the volume, the resulting CD may not work as expected. For example, if you copy a volume which has been formatted as a DOS drive, it will not work properly on a PC; PCs require the ISO format for CDs, but your CD would have the format and structure of a hard disk.
- You can faithfully copy and read Macintosh hard disks in this manner; however, we recommend using the Mac Volume format instead.
- If you select an audio disc or a mixed mode disc, Toast uses SCSI Copy for the data part of the disc and the Audio Tracks option for the audio tracks. This is set up automatically.
- You cannot copy discs that contain Mode2 Form2 sectors, for example, Video CDs, CD-i, Photo CDs, etc., because the Macintosh cannot read those sectors.
- Discs to be copied must contain only one session, because the Macintosh cannot read the sectors between sessions.
- To copy discs with multiple sessions, you could use an application like "ASTARTE CD-Copy" that will save the contents of the disc as files that can then be written back to the disc with Toast.

For detailed information on SCSI Copy and its settings please see "SCSI Copy Format" on page 6-49.

## Writing a SCSI Copy


- 1 Choose **SCSI Copy** from the Format menu and click **Data...**

All connected SCSI devices are displayed:



- 2 Select the device to be copied and click **OK**.

The following dialog box is displayed:




When you select a CD that you have written yourself, Toast automatically subtracts the unreadable blocks at the end of the disc to avoid errors while writing.

Changing these numbers may cause your disc not to work.

- 3 Click **OK**.

The amount of data to be written is displayed in the main window:



**4 Click Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.



---

**Note:** If you are copying from a CD, make sure that the speed of the CD-ROM drive is higher than the selected writing speed. As a general rule, use a write speed that is 1/2 the speed of the reader.

---

**5 When the test is completed, click Done.**

**6 Insert a blank recordable in your CD recorder.**

To verify that the inserted disc is indeed empty, you can choose **Disc Info** from the Recorder menu.

**7 Click Write CD....**

The following dialog is displayed:



**a** If you want to add data to this disc later, click **Write Session**.

(THIS IS NOT RECOMMENDED!)

**b** To close the disc so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed.

For additional information on this format see "SCSI Copy Format" on page 6-49

## Example: Creating a Backup of a CD-ROM


### Your Situation and Your Goal:

You have written a disc in Hybrid format that is to be submitted for manufacturing. You want to create a backup disc for safety. You have at least one 2x CD-ROM drive at your disposal, so you can be sure that the speed will be sufficient to copy directly from disc to disc (2x readers can usually be copied at 1x, while a 4x reader can usually be copied at 2x).


### Procedure:

- 1 Insert the CD-ROM in your CD-ROM drive.
- 2 Choose **SCSI Copy** from the Format menu and click **Data...**

The CD-ROM drive is connected on bus 0 with SCSI ID 3:



- 3 Select the appropriate drive from the list and click **OK**.



### ***Toast User's Guide***

The number of blocks on the disc does not correspond with the number of blocks to be copied, since a disc that you have written yourself always contains "run out" sectors at the end, that cannot be read by the Macintosh (see "Terminology" on page 3-4), Toast automatically excludes these blocks to avoid errors while writing.

- 4** Click **OK**, check the data rate and write the disc.



## Disc Image

### Areas of Application

The Disc Image format allows you to write a previously created disc image to a CD. You can use disc images created by Toast, as well as images generated by a variety of specialized tools.

A disc image is simply a single file, saved on your drive, that contains ALL the data and formatting information needed to create the CD.

You would use Disc Image format under these circumstances:

- You have saved your selected data as a disc image in Toast (see “Save as Disc Image” on page 5-2).
- You need to write an image to disc but don’t know its exact format.
- You used a UNIX utility (like “mkisofs”) to create an ISO image with Rockridge extensions.
- You saved the contents of an HFS, ISO 9660, Hybrid disc or other single-track CD-ROMs with “ASTARTE CD-Copy”.



---

**Caution:** When saving the contents of a Photo CD with “ASTARTE CD-Copy” the “Multitrack CD-ROM XA” format must be used, not the Disc Image format (see “Multitrack CD-ROM XA Format” on page 6-54).


---

For detailed information about this format please see “Disc Image Format” on page 6-52.

## Writing a Disc Image to CD

- 1 Select **Disc Image** from the Format menu and Click **Data...**

The standard file selection dialog is displayed:



- 2 Select the desired disc image and click **Open**.

The size and format of the selected data is indicated in the main window:



- 3 Click **Check Speed...**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

- 4 When the test is completed, click **Done**.

- 5 Insert a recordable CD in your writer.

To determine if the inserted disc is still recordable, you can choose **Disc Info** from the Recorder menu.

- 6 Click **Write CD**.... The following dialog box is displayed:



- 7 Verify that the desired writing speed is selected in the pop-up menu.
- 8 If you may want to add data to this disc later, click **Write Session**. (If your source volume contains more than 625 MB this option is disabled. )
- 9 If you want the disc to be closed so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed. When all the data is written, Toast automatically verifies the data.

For additional information on this format see "Disc Image Format" on page 6-52

## **Example: Creating, Mounting and Writing a Disc Image**

### **Your Situation and Your Goal:**

After finishing a multimedia production in Hybrid Format you want to test the applications before actually writing the discs.

### **Procedure:**


Begin by setting up your Hybrid disc, including selecting the Hybrid format and selecting the appropriate data for the Mac and ISO parts of the disc.

- 1** Select **Save as Disc Image...** from the File menu..

A dialog box is displayed.


- 2** Select a hard disk with enough free space to hold the disc image file (check the Toast main window for details on how much disk space is required.)

A progress indicator is displayed while Toast builds the image file.



- 3** When the process is complete, double-click the saved disc image.


Toast automatically switches to the Disc Image format and selects the newly created image as the source.



- 4** Click the **Mount** button.

### ***Supported Formats***

Since you've created a Hybrid disc, two volumes are mounted on the desktop: one for the Mac part and one for the ISO part.



You can now test items on the disc (Hybrid images are mounted as read-only so no changes can be made to the data.)

- 5** Once you are satisfied that everything is set up correctly, you can write the disc.

## Multitrack CD-ROM XA

### Areas of Application

The Multitrack CD-ROM XA format is used to write a disc with several CD-ROM XA tracks in one session.



---

**Note:** This format is seldom used, as most CD formats consist of only one data track per session. Its most common use is for copying Photo CDs with a tool like “ASTARTE CD-Copy”.


---

For detailed information about this format see “Multitrack CD-ROM XA Format” on page 6-54.

### Writing a Disc with Several XA Tracks

- 1 Select **Multitrack CD-ROM XA** from the Format menu. Click **Data....**

The CD-ROM XA dialog is displayed:



- 2 Click **Add...** and select the desired CD-ROM XA files or drag the files into the window.

The Names, Sizes, and Block Sizes of the selected files are displayed. You can drag the items to change their order in the list.

- 3 After selecting all files click **OK**.

## Supported Formats

The total size of the selected tracks is displayed in the main window:



**4** Click **Check Speed....**

Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.

**5** When the test is completed, click **Done**.

**6** Insert a recordable CD in your writer.

To determine if the inserted disc is still recordable, you can choose **Disc Info** from the Recorder menu.

**7** Click **Write CD....** The following dialog box is displayed:



**8** Verify that the desired writing speed is selected in the pop-up menu.

**9** If you may want to add data to this disc later, click **Write Session**. (If your source volume contains more than 625 MB this option is disabled. )

**10** To close the disc so that no further data can be added later, click **Write Disc**.

The writing process begins at the selected speed.

## Mixed Mode CD

### Areas of Application & Requirements

The Mixed-Mode format is used to combine one data track and several audio tracks in a single session.

This format has been largely replaced by “CD Extra” (see “Enhanced Music CD Format” on page 6-45).

- The data portion of a Mixed Mode CD can be any of the Toast formats.
- The audio tracks can be set up using the normal techniques (see “Toast’s Greatest Hits & Audio CDs” on page 6-35).

### Writing a Mixed Mode CD

- 1 Select the desired data format, then **Audio Tracks** from the Format menu.


Two buttons are displayed in the main window: **Data...** and **Audio....**

- 2 Click **Data....**

Select your data. For details see the chapter on the selected data format.

- 3 Click **Audio....**

The audio track selection window is displayed:





## Supported Formats

- 4 Click **Add...** and select the desired audio files or drag the audio files into the window.

File name, time, and number of index-points is displayed in the track window.

- 5 After selecting all the desired audio files click **OK**.

The total size of the selected tracks (data and audio) is displayed in the main window:



- 6 Click **Check Speed....**  
Toast reads all the selected data to determine if your system is fast enough to write the disc in the chosen speed.
- 7 When the test is completed, click **Done**.
- 8 Insert a blank recordable CD in your writer.
- 9 Click **Write CD....** The following dialog box is displayed:



- 10 Verify that the desired writing speed is selected in the pop-up menu.
- 11 If you may want to add data to this disc later, click **Write Session**. (If your source volume contains more than 625 MB this option is disabled. )
- 12 To close the disc so that no further data can be added later, click **Write Disc**.





# The Menus

## The File Menu

The File menu consists of the following items:

File		
Open...		⌘O
Save		⌘S
Save As...		
Revert		
Save as Disc Image...		⌘D
Quit		⌘Q

### Open

Opens previously saved Toast files (or virtual images). Open restores all the settings and file selections to the same state as when the file was saved.

### Save / Save as

Saves a virtual image containing references to all selected data, settings, and modified file names so they can be restored later.

Virtual images can be created for every format.

Toast generally asks if you want to save your current settings when you quit the application or switch to a different format.



---

**Note:** Since a virtual image saves references to selected files, but not the files themselves, the image is invalid if the original data is deleted.

---

## **Revert**

Reverts to the last-saved Toast document (virtual image).

## **Save as Disc Image**

Saves all selected data as a single file. This file contains all the data for the CD, not just the settings.

Disc Images can be written to a CD at any time, even if the original data has been moved or deleted.

You might want to create a disc image

- If your Mac is too slow to write or optimize on-the-fly.
- If you are writing data from a network volume or CD that doesn't have sufficient speed to write directly.
- If you want another person to write the discs, but don't want them to be able to change the contents or layout of the disc.

## **Properties of disc images:**

- They contain all needed data (as opposed to virtual images which only contain references to the data).
- Most disc images can be mounted to check contents and functionality (Video CD disc images cannot be mounted).
- Mounted disc images appear just like any other volume on the desktop.
- If the disc image was created from a Mac format (Mac Files & Folders or Mac Volume), the contents can be modified after mounting (all other disc images appear as a write-protected volumes)

## **Mounting a disc image:**

- Select **Mount Disc Image** from the Utilities menu.



---

**Note:** Only defragmented disc images can be mounted (the entire image file must reside on contiguous blocks on your hard disk). Use a commercial disk optimizer like Norton Speed Disk™ to defragment if necessary.

---

To save a disc image and write the CD all in one step select the option **Create Disc Image** first after clicking **Write CD...** on the main screen.

### Quit

Exits the Toast application, after asking you to save your settings (when appropriate).



---

**Note:** Clicking the **Close** box in the main window is the same as selecting the **Quit** command.

---

## The Edit Menu

The Edit menu consists of the following items:

Edit		
Undo		⌘Z
Cut		⌘X
Copy		⌘C
Paste		⌘V
Clear		
Select All		⌘A
Preferences...		


### Standard Functions

Undo, Cut, Copy, Paste, Clear and Select All are standard Macintosh functions that are available for use in any of Toast's lists or error logs.

The Copy function can also be used to copy all selected items as text in the "ISO 9660" and the "Mac Files & Folders" dialog (see "Copying the Contents as Text" on page 6-12).

## Preferences

Displays a dialog box that allows you to set the following operational parameters:



## Disk Cache

In addition to the RAM cache, Toast uses your hard disk to temporarily store small files while optimizing and writing on-the-fly.

If you have more than one hard disk attached to your Mac, you can specify which drive to use for this temporary storage:

Standard (Speed x 1 MB)
Generous (Speed x 2 MB)
1 MB
2 MB
4 MB
8 MB
16 MB
32 MB
64 MB

Select the fastest drive that has sufficient free space.



---

**Note:** Don't select an optical drive or other slow storage devices as the Disk Cache.

---

## RAM Cache

Toast uses RAM installed in your Macintosh to augment the RAM cache built into your recorder.

The amount of RAM Toast uses for Cache Enhancement is selectable:

✓ <i>Startup Volume</i>
<i>Application Volume</i>
Clown Interactive (32 MB free)
Start HD (17 MB free)
BIG HD (546 MB free)

You can choose a relative amount, based on the selected write speed, or you can set a specific amount of RAM to be used, regardless of the write speed.

In general, if you are writing CDs from data sources with erratic data rates (like network volumes), you should set a higher value. On the other hand, if you generally write from a very fast hard drive on a fast computer, small values should work just fine.




---

**Note:** Cache Enhancement works only if your Mac supports SCSI Manager 4.3 and if you have asynchronous hard disk drivers installed.

---

## Preferred Drive for Reading Audio

If you have more than one CD-ROM drive on your system, you can use this menu to specify which drive ejects when Toast requests an audio disc.

The **TEST** button checks the selected drive to verify that it has audio extraction capabilities. *This test requires an audio disc in the drive.*

## Calculate a checksum while verifying

When this option is checked, Toast calculates a checksum each time it verifies a disc. This is useful if you are writing CDs from image files created in another application that also calculates a checksum (such as Astarte CD-Copy). You could then compare the two values to ensure that the disc is identical to its source.

Once it is calculated, you can select **Copy** to copy the Checksum to the clipboard.



**Note:** if you don't have software that generates images and checksums, don't check this option.

# The Format Menu

Format	
Mac Volume	⌘1
Mac Files & Folders	⌘2
ISO 9660	⌘3
Mac/ISO Hybrid	⌘4
Audio CD	⌘5
CD-i	
Video CD	
Enhanced Music CD	
SCSI Copy	
Disc Image	
Generic CD-ROM XA	
Audio Tracks	
	⌘A

The Format menu is used to select the specific CD format that you want to write. See the appropriate chapter of this manual for detailed descriptions of each format.



You can also switch formats using the popup menu on the main screen



## The Recorder Menu

The Recorder menu contains commands related to the functioning of the CD recorder.



### Write Speed

Allows you to specify what speed to use when writing a CD. Only the speeds that are applicable to your recorder are available in the menu.




---

**Note:** You can also set the write speed in the write dialog after clicking **Write CD...** (see “Speed” on page 7-9).

---

### Simulation Mode

Selecting Simulation Mode allows you to test the entire writing process without actually writing any data to your blank CD. This is an accurate way to ensure that you have a sufficient data transfer rate before writing a CD.

The words **Simulation Mode** are displayed in the menu bar in red when Simulation Mode is active.




---


**Note:** When you write a CD using Simulation Mode, it looks just like the disc is actually being written. The record light on the CD writer is even lit. But as long as **SIMULATION MODE** appears in the menu bar, no data is written to the disc.

---

Simulation Mode can also be set in the Write dialog box after clicking **Write CD...** (see “Simulation Mode” on page 7-9).

## Disc Info

Select this command to view information about the CD currently inserted in the recorder:




Available information includes:

- Media type (recordable or not)
- Any existing sessions that may be on the disc
- Amount of disc space used and available
- Whether the disc can accept additional sessions

## Recorder Info

This command displays technical information about the connected CD recorder. To determine the firmware version of your recorder, use this command..



## Eject

Ejects any currently inserted CD from the recorder.

## Mount CD-ROM

This will cause any mountable sessions that may be on the currently inserted disc to appear on the Mac desktop. Once a disc is mounted, it can be used normally until you eject the disc or restart the computer, even if you exit the Toast application.

It is not necessary for the Toast CD Reader extension to be installed for this function to work.

## The Utilities Menu

The Utilities menu consists of the following items:



## Mount Disc Image

Mounts a previously created disc image on the Mac desktop. All images except Video CD images can be mounted.

Mounted images function just like any other volume.

Mounted HFS Images can be modified, all other formats are mounted as “read only”.



---

**Note:** Only defragmented disc images can be mounted (the entire image file must reside on contiguous blocks on your hard disc). Use a commercial disc optimizer like Norton Speed Disk to defragment if necessary.

---

Images can also be mounted by clicking **Mount** on the main screen in the Disc Image format (see “Disc Image Format” on page 6-52).

## Create Temporary Partition


This command allows you to create an empty disk image file of any size which can then be mounted and used to set up data to be written to a CD.

Temporary partitions are useful in situations where you want to have complete control over the layout of your data and how its windows are arranged and displayed.


Since temporary partitions are automatically created with 2K allocation blocks, they can also make it possible to have shared data on a hybrid CD, even though your hard drive may not have the required block size. (see "About Block Size and Shared Data" on page 6-32 for more information on shared data.)

Follow these steps to create a temporary partition:

- 1 Select **Create Temporary Partition**.




- 2 Enter name and size for the partition.
- 3 Select the hard disk where you want the image file for this partition to reside.
- 4 Click **OK**.






**Caution:** Temporary partition files must reside on contiguous blocks on your hard disc.

If sufficient contiguous space is not available, Toast reports an error:



## Compare

The **Compare** command compares the contents of two data sets to see if they match. You can compare two volumes, two folders, or two files:




**Note:** Compare differs from the Verification function which Toast performs after writing a CD in two significant ways. First, Verify always compares the selected source data to the finished CD; with Compare you can compare any two data sets. Second, Compare checks each individual file when comparing the data; the Verify function compares only blocks. This means that the Compare function can usually tell you exactly which file contains the error.

- 1 Choose **Volumes**, **Folders**, or **Files** from the pop-up menu.


## Toast User's Guide

- 2 Select the desired original and copy.
- 3 Click **Compare**.

If any mismatches are found, Toast displays a list:



You can select items from the list and simply drag them to the desktop to create a text-clip file (requires the Apple Clipping extension). Open the clip by double-clicking its icon.



## Check Aliases


Examines all the aliases on a specified volume to make sure they all point to items on the same volume and that all the original files can be found.

Always check aliases before writing in Mac Volume or Hybrid format.




After choosing **Check Aliases**, select the desired volume and click **OK**.

Aliases are checked, and any problems are displayed in a list:



You can drag items from the list to the Finder for later use:



Be sure to delete or correct any nonfunctional aliases before writing your CD.

### Make System 6 Compatible

Choosing this command causes Toast to build a System 6-type desktop file on the selected volume that will be written on the CD. This is required if the disc will be used on Macs running System 6.




Select the desired volume and click **OK**.

The desktop file is created on the volume.

## Autoloader

To automatically write a series of discs, select this item. After writing one disc Toast waits for a new disc to be inserted and starts writing when the recorder is ready.



- **Use Autoloader:** Check this option to use the **Autoloader** option.
- **Type:** Select the desired Autoloader type. To use this function even if you have no autoloader system select the **Generic** option. You can then insert a new disc yourself as soon as one disc is finished. If you want to write several discs with the same contents, this function helps save time and avoid errors.
- **Stop on error:** Checking this option causes Toast to stop writing any additional discs if it encounters an error while writing or verifying. We recommend always using this option.
- **Write log file:** Select this command to have Toast keep a log file of all events during a writing session.
- **Verification:** The Verify command lets you specify which discs should be verified while writing multiple discs with an autoloader system.



---

**Note:** Verifying takes as long as writing. To minimize the time it takes to verify, uncheck the option **Calculate a checksum** while verifying in the Preferences (Edit menu).

---




After clicking **Write CD...** in the main window, the following dialog box is displayed:



Enter the number of copies to be written.

To close so that no further data can be added later, check the option **Fixate Discs**.

After clicking **Start** the following dialog is displayed:






# ....6

## Settings for Each Format

### Mac Volume Format

The volume selection window is displayed after you click **Data...**:



This window lists all available volumes/partitions along with information about their status.

### Comments

Only volumes listed as ok to write can be selected as the data source for a Mac Volume CD.

Other possible comments are listed here, along with suggestions for correcting problems.

Comment	Information	Possible Solutions
Startup volume	This volume contains the active System Folder	Check "Optimize on-the-fly". Open files can then be written.
Busy	This volume contains the currently used Toast software.	Check "Optimize on-the-fly". Open files can then be written.
Shared	The volume is currently being shared.	Turn off Filesharing in the Sharing Setup control panel
Audio CD, ISO 9660, High Sierra, MFS	The volume is not an HFS volume.	Write the volume using SCSI Copy, or use another software tools to convert the contents into writable format (e.g. "ASTARTE CD-Copy").
Foreign File System	The volume is not an HFS volume, it is e.g a DOS formatted hard disk.	Select the data in "Mac Files & Folders" or in "ISO 9660" format.
Server Volume	The volume is a server volume.	Select the data in "Mac Files & Folders" format.

## The Optimizer

### Background

The built-in optimizer is one of Toast's most useful features. Its unique technology allows you to do things that were previously impossible:

- You can now reliably write a CD from a fragmented data source
- You can write CDs that seem to hold more data, by allowing Toast to select the optimum block size
- You can write CDs that mount more quickly and feel more responsive, by having Toast position every file at the beginning of a sector.
- You can select any mounted volume as your data source, even the startup volume and volumes with files in use.

### *Settings for Each Format*

- You can change your data right up to the time you write the CD, without having to worry about creating fragmentation (as would be the case if you used normal optimizers.)

### **Functionality of the Optimizer**

Unlike typical disc optimizers, Toast's optimizer works while the disc is being written.

- Nothing is changed on the source volume, so there is no risk to your data.
- The directory and desktop files for the CD are written at the beginning of the disc, greatly reducing seek time for finished disc, and further increasing responsiveness.

### **The Optimizer's Settings**

You can choose between two different optimizer strategies:

- Optimize For Size
- Optimize For Speed

The option **Optimize for Size** looks for the smallest possible block size and uses it for the CD. This means that if you have many small files, you might be able to save more data onto a disc than you can without optimizing.

The option **Optimize for Speed** looks for the smallest possible block size which is a multiple of 2048. This ensures that each file starts at the beginning of a CD sector (1 CD sector = 2048 bytes), which speeds up access times. (When writing a Mac/ISO Hybrid disc this option is the only available as the ISO 9660 system is based on CD sectors.)

#### **An extreme example:**

You have 20,000 files, all smaller than 512 bytes.

Using **Optimize for Size** requires a block size of 512 bytes; the volume needs :  $512 * 20,000 = 10 \text{ MB}$ .

Using **Optimize for Speed** a block size of 2048 bytes is used, the volume needs:  $2048 * 20,000 = 40 \text{ MB}$ .

### Other Advantages of the Optimizer

- Even if your system configuration is not fast enough to optimize on-the-fly, you still save time when saving the volume as a disc image and you get a disc that is optimized for CD and not for hard disk
- No errors occur in the file structure of finished discs, as the optimizer creates a fresh structure as it works. You might even be able to write from a volume with a damaged file structure.

### Disadvantages of the Optimizer

- Higher hardware requirements: Power Mac or 68040 with 25 MHz, SCSI Manager 4.3 support and a fast hard disk.
- The optimizer requires more available RAM: about 1 MB for each 3000 files, plus 4 MB for 2x write speed, 6 MB for 4x write speed.

Both issues can be resolved by saving the volume as disc image before writing (see "Save as Disc Image" on page 5-2).

### Don't copy free space

Selecting **Don't copy free space** causes Toast to ignore any portion of the source volume after the last block that contains data.

This option allows you to use a source volume larger than the capacity of the CD, as long as the defragmented data does not use more space than the CD has available.



**Note:** if you select one of the optimization methods, then this option is not available (or needed).

---



**Caution:** Your data should be defragmented for this option to be useful; empty blocks that are "buried" among the used blocks are not considered to be free. (see "The Info Dialog" below)

---

## Bootable CDs

Select the Bootable option to create a CD that can function as a startup disc when used in an **Apple-brand** SCSI CD-ROM drive.

For the bootable option to work, the source volume must contain a functional System Folder that works on the specific Macintosh model(s) that you want to use the disc in. A System Folder that works on one Mac (a PowerMac for example) will not necessarily work properly on a different Mac model. Be sure you construct a System Folder that is appropriate for the target machine(s).



---

**Caution:** A Trash and a Desktop-Folder are created as soon as you click this option; this can be annoying if the finished disc will be shared over a network; do not select the bootable option if you don't need it.

---

To actually boot from a bootable CD, you must press a special key code while the Macintosh starts up:

- On some Macs, you simply press and hold the “c” key until the “Welcome To Macintosh” message appears.
- On other models, you have to press and hold the **Command**, **Option**, **Shift** and **Delete** keys (simultaneously) until the message appears.
- You can also use the Startup Disk control panel to set the CD as the startup device.

## AutoStart

Using the **AutoStart** option, you can specify a file/application that opens automatically whenever the CD is mounted.

- When you click the **AutoStart** option, a standard file selection window appears. Simply select the desired file and click **Open**.
- To change the selected file, click on its name in the rectangle. The selection window is then again displayed.




---

**Caution:** The name of the item selected must be 11 characters or less, and the file must reside at the root level of the drive.

---


## Toast User's Guide

If you select a file (rather than an application) to **AutoStart**, be sure that the application needed to open that file will be available on the target system.



## Info Dialog

Once you've selected a volume in the Select Volume window, the **Info...** button will be available. Click the button to display this informational window:



The upper portion of the window shows a graphic representation of the data on your disk. The blue areas show blocks that contain data, while gray areas show empty blocks. (If you save and delete data frequently on your hard disk, it may appear highly fragmented, with many gray areas "buried" within the blue area.)





---

**Note:** Toast only recognizes free space after the last data block. (Free space between data blocks is not recognized.)

---

If you use NORTON FILE SAVER, the Size of CD-ROM always equals the size of the volume selected, since FILE SAVER stores its invisible files at the very end of the drive. Deactivate FILE SAVER using its control panel to prevent this.

The items in the lower left part of the window display details about the volume you've selected, including the total size of the volume and its block size, along with the amount of space used by files, and the amount of free space.

To the right of the volume information is the Size of CD-ROM info. This number shows how much space is required on the CD to be able to write all the data from the selected volume. If the volume is fragmented, the space required will be larger than the actual space used (as shown to the left).



---

**Note:** When Optimize on-the-fly is checked, the information shown in this window may not be accurate.

---

## Check Aliases

Before writing a Mac Volume, it's a good idea to use the Check Aliases command to ensure that any aliases on the CD will function as expected (see "Check Aliases" on page 5-12).


## Mac Files & Folders Format

### The Main Window

The main file selection window lists all the files and folders that you have selected for inclusion on your CD. Changes that you make in this window change the contents of the CD.

All directories are displayed in alphabetical order. The list behaves very much like a standard directory window in the Finder which is sorted “by name”.

Click on the arrow to the left of the disc or folder name to “open” the item and display its contents. Click the arrow again to “close” the item.



---

**Note:** To open all folders at once hold the **Option** key while clicking an arrow. Repeat the procedure to close all folders.

---

### Creating a New CD / a New Folder

If the selection window is empty, you can create a new CD by clicking the **New CD** button.


An untitled CD icon appears in the list. You can then add other items to the CD by dragging and dropping, or by using the **Add...** button.

If the selection window already contains some items, the **New Folder** button is available.. Click it to create a new, empty folder at the same level as any selected item. If no item is selected when you click the **New Folder** button, the new folder is placed at the root level.

## Importing the Data

### 1 Drag & Drop Method

To add files and/or folders to the list, simply select their icons in the Finder and drag them onto the Toast window.



### 2 The Selection Method

Click the **Add...** button.

Select the desired item from the file selection dialog box and click **Add**. Repeat as often as required to add all the items you want.


Click **Done** when finished.

## Renaming Folders, Files and the Disc & Changing Visibility

You can change the name of files, folders and discs, as well as setting their visibility property without affecting the original items on your drive.

To change the name of an item in the list, double-click it.


The Information window is displayed:



Enter the new name and click **OK**.

To make a file or a folder invisible check the Invisible checkbox. When checked, the item will be written to the CD, but will not be visible in the Finder.

Invisible items are displayed in gray in the list.



---

**Note:** Two desktop files are always written onto each CD – "Desktop DB" and "Desktop DF" (see below). These files are always invisible, regardless of how you set their "Invisible" property.

---

## About the Desktop Files

The Desktop files contain information that the Mac operating system uses to determine which icon should be associated with each file or folder. Normally, each Mac volume has its own desktop files. These files are updated automatically by the System, whenever you copy new items to that volume.

Because Toast makes it possible to assemble a CD from files and folders located on several different volumes, it is possible that the desktop files may not contain all the icons needed to properly display each item. Toast attempts to use the desktop files that will yield the best result, but in some cases you may want to override its choices.

### Here is how Toast gets its desktop file information:

If a folder is dragged from a local volume into the empty window, the desktop files of the volume where that folder resides are


selected. If you start by selecting a folder from a nonlocal volume, the desktop files of the startup volume are used.

To select the desktop files of a special volume, start with an empty Toast window and import any folder (it can even be empty) from that volume. Toast will then use the desktop files from that volume.


## Selecting Items

To select a single item in the list, simply click on it. To select more than one item, use one of these methods:

- Drag a selection-rectangle around the items with the mouse.



- Click the first item, hold down the **Shift** key and select the last item to select all items in between.
- To select items which are not next to each other in the list, hold down the **Command** key while clicking the items.



- To select all items in the list choose **Select All** in the Edit menu.

## Removing Items

To remove selected items use the **Backspace** key, choose **Clear** from the Edit menu or click the **Remove** button.



---

**Caution:** Removing items cannot be undone. If you accidentally remove the wrong item you must reselect it.


---

## Copying the Contents as Text

To copy the contents of the list as text select **Copy** from the Edit menu. The text can be pasted into any other application.

## Modifying the Hierarchy

You can reorganize the hierarchy of the CD by dragging items in the list. You can move items to different folders or move folders until you have the layout you want.



---

**Caution:** If you change the contents of a folder by moving items in the Toast file selection window, then its appearance will no longer match the original when written to the disc. (See below "The Appearance of Windows on the Disc")

---

## Resolve Aliases

If the data you select for your disc contains aliases, you can determine how those aliases are treated when the CD is written.

**Resolve Aliases** checked'the original files are written onto your CD

**Resolve Aliases** not checked'the aliases are written to the CD



---

**Caution:** If you decide not to resolve aliases, make sure that the aliases are still valid once they are written to the disc.

---


## The Appearance of Windows on the Disc

If the contents of an imported folder is not changed, the appearance of the window is exactly the same as in the original folder (this includes the view settings, window size, and window position).


## Settings for Each Format

If items are added to a folder that were not in the original folder, the contents are displayed according to these rules:

- If the folder contains 9 items or less, its contents are sorted by icon. (If you use long file names, they may overlap when viewed this way.)




- If a folder contains more than 9 items it is sorted by name.



## The Order of Files on the Disc

Files/folders are written onto the disc in alphabetical order, as shown here:



Data is written defragmented to leave the maximum amount of free space for additional sessions.

## Mac HFS Discs with Several Sessions

An HFS disc with more than one session is a multi-volume disc. This means that each session will always appear as a separate volume on your desktop.


Depending on which CD-ROM driver you use, you may initially see only the first session when you insert a multi-volume disc in your CD-ROM drive.

- Apple CD-ROM driver Version 5.0.x and lower:  
Only the first session is automatically mounted.
- Apple CD-ROM driver Version 5.1.1 and higher:  
All sessions are automatically mounted as separate volumes on the desktop.
- Toast CD-Reader Version 2.0 and higher (to use your recorder as a player):  
All sessions are automatically mounted as separate volumes on the desktop.



## ISO 9660 Format

The ISO File Selection window has three parts: Files, Layout and Settings. You can switch between the parts by clicking the tabs at the top of the window:




- Files: selecting the data
- Layout: determining the layout or order of the files on the disc
- Settings: setting the options for file naming, format, etc.

## Files

### The Main Window

The main file selection window lists all the files and folders that you have selected for inclusion on your CD. Changes that you make in this window will change the contents of the CD.

All directories are displayed in alphabetical order. The list behaves very much like a standard directory window in the Finder which is sorted “by name”.



Click on the arrow to the left of the disc or folder name to “open” the item and display its contents. Click the arrow again to “close” the item.



**Note:** To open all folders at once hold the **Option** key while clicking an arrow. Repeat the procedure to close all folders.

## Creating a New CD / a New Folder


If the selection window is empty, you can create a new CD by clicking the **New CD** button. An untitled CD icon appears in the list. You can then add other items to the CD by dragging and dropping, or by using the **Add...** button.

If the selection window already contains some items, the **New Folder** button will be available. Click it to create a new, empty folder at the same level as any selected item. If no item is selected when you click the **New Folder** button, the new folder is placed at the root level.

## Importing the Data


### 1 Drag & Drop Method

To add files and/or folders to the list, simply select their icons in the Finder and drag them onto the Toast window.



### 2 The Selection Method

### 3 Click the **Add...** button.



Select the desired item from the file selection dialog box and click **Add**. Repeat as often as required to add all the items you want.

- 4 Click **Done** when finished.

## Renaming Folders, Files and the Disc & Changing Visibility

You can change the name of files, folders and discs, as well as setting their visibility property without affecting the original items on your drive.

To change the name of an item in the list, double-click it.


The Information window is displayed:



Enter the new name and click **OK**.

To make a file or a folder invisible, check the Invisible checkbox. When checked, the item will be written to the CD, but will not be visible in the Finder.

Invisible items are displayed in gray in the list:



## Selecting Items


To select a single item in the list, simply click on it.

To select more than one item, use one of these methods:

- Drag a selection-rectangle around the items with the mouse.



- Click the first item, hold down the **Shift** and select the last item to select all items in between.
- To select items which are not next to each other in the list, hold down the **Command** key while clicking the respective items.



- To select all items in the list choose **Select All** in the Edit menu.

## Removing Items

To remove selected items use the **Backspace** key, choose **Clear** from the Edit menu or click the **Remove** button.




---

**Caution:** Removing items can not be undone. If you accidentally remove the wrong item you will have to reselect it.

---

## Copying the Contents as Text

To copy the contents of the list as text select **Copy** from the Edit menu. Depending on the naming option selected, one of these windows is displayed:




- **All items:** all items in the selection window are copied as text.
- **Renamed items or Items with Illegal Names:** only renamed or illegal items are copied as text.

The text can be pasted into any other application.

## Modifying the Hierarchy

You can reorganize the hierarchy of the CD by dragging items in the list. You can move items to different folders or move folders until you have the layout you want.



## Resolve Aliases

If the data you select for your disc contains aliases, you can determine how those aliases are treated when the CD is written.

- **Resolve Aliases** checked the original files will be written onto your CD
- **Resolve Aliases** not checked the aliases will be written to the CD.



---

**Caution:** Aliases only work on Macintoshes; if the ISO disc you are creating will be used on other systems **BE SURE TO SELECT RESOLVE ALIASES** so the original items will be copied to the CD!

---



---


**Note:** If you are working on a hybrid disc, aliases that point to items on the selected Mac volume will be resolved by using shared data.

---

## Layout

### The Order of Files on the Disc

If no changes are made in the Layout portion of the files selection window, then the files are written in the following order:




Files are written defragmented to leave the most possible space for more sessions.

In most cases the standard layout is adequate.

## Settings for Each Format

However, you can change the order in which the files are written on the disc for special purposes.



To change the order, simply move selected files to the desired place in the list.

- Files located at the top of the list will be written first (towards the inner part of the disc).
- To place selected files on top or at the bottom click Move to top or Move to bottom, respectively.




**Note:** You can move more than one item at a time. See above for information on selecting files in the list.

## Settings

### Format Settings

Use the Format pop-up menu to select the desired format for your ISO disc.



## CD-ROM

This format should be used for single session CDs, and CDs that will be duplicated by a replication plant. Some very old CD-ROM drives can only read CDs in this format.



**Note:** If you select CD-ROM format, you will not be able to add sessions to the disc later.

## CD-ROM XA

Select CD-ROM XA format for multisession discs, so you have the possibility of adding sessions later.




**Caution:** When a Hybrid track is written as a second session of an audio CD this format has to be used.

## Electronic Book

The Electronic Book format is rarely used.

## Naming Settings

The Naming menu lets you specify how Toast should handle file names that are not compatible with the ISO file format.



Toast automatically transforms file or folder names so they conform to the selected naming option.

The Files list displays the transformed name, along with the original name (in gray).





---

**Note:** To see all transformed (or illegal) names choose **Copy** in the Edit menu, then select **All items** or **Renamed items** (or illegal names) from the dialog that appears. You can then paste the list into any text processing application.

---

### ISO 9660 Level 1

This is the original ISO naming format and is very restrictive (most systems don't need pure ISO standard).

Name requirements:

- Length: 8.3 characters
- Characters: uppercase letters A-Z, numbers 0-9 and the underscore `_`. No other characters are allowed.
- Examples: `ISO_NAME.TXT`, `IMAGE_1.TIF`

ISO Level 1 has a limitation of 8 levels of nested directories. Toast allow you to have more than 8 levels but the data might not be readable on many systems (you will be warned before trying to write an ISO disc with more than 8 levels).

### Allow MS-DOS Names

Similar to ISO Level 1 but not as restrictive. Use this option for discs intended for DOS or Windows 3.x systems.

- Length: 8.3 characters
- Characters: uppercase letters A-Z, numbers 0-9, the underscore `_` and these special characters: `{ } @ - ^ ! $ % & ( ) ` ' # ~`

ISO format has a limitation of 8 levels of nested directories. Toast allows you to have more than 8 levels but the data might not be readable on many systems (you will be warned before trying to write an ISO disc with more than 8 levels).

### Allow Macintosh Names

This option causes Toast to leave all file and folder names as they are. Use this option if you are using ISO format discs to make incremental backups from your Macintosh.



---

**Caution:** Discs created with this naming option can be used only on Macintoshes!

---

### **Joliet (MS-DOS& Windows95)**


This is an extension to the ISO format that allows the disc to preserve long file names for use under Windows95 and WindowsNT, while also being fully compatible with older versions of DOS and Windows.

A Joliet format disc contains two file systems: An ISO 9660 compliant file system using MS-DOS names, and the Joliet file system using long Unicode names. Both file systems point to the same data files. Remember that only Windows 95 and Windows NT 4.0 systems will have access to the long names, while ISO 9660 compliant systems such as MS-DOS, Unix, or Mac OS will only see the ISO 9660 file system. *A Mac/ISO hybrid disc created with Joliet names will actually contain three different file systems: HFS, ISO 9660 and Joliet.*

Name requirements:


- Length: 31 characters
- Characters: These characters are not allowed \*/:;?\\
- Example: 1998 Report to Shareholders

Toast does not change file names when Joliet is selected. Instead, illegal names (containing \*/:;?\\ ) are flagged with three red exclamation marks in the file list.



## Settings for Each Format

You can use the "Copy" command in the "Edit" menu to export a list of all illegal names to the clipboard.



## Viewing the Short Names under Joliet

To view the short names seen by MS-DOS or (if you're not creating a hybrid disc) Macintosh systems go to the "Settings" panel and switch to "Allow MS-DOS Names".

Note: If you change a short name the long (Joliet) name will be changed too.

## Other Settings

### Append Version Numbers (;1)

This option adds the standard ISO version number (;1) to every file name. This version number is normally invisible, and is seldom needed. This option is not available with Mac names.



**Caution:** The installed ISO driver does not usually display version numbers even if they are on the disc. If you want to see full names on the Mac press the **Option** key while inserting the disc.

### Use Apple Extensions

Check this option to have Toast write both the data and resource forks for Mac files.

This has no effect when the disc is read on a PC.

For hybrid discs this option is not needed, as both forks are always written to the HFS part of the disc.

### Set Defaults

Clicking this button will preserve your current settings as the default for future Toast sessions.

### More

Clicking the **More...** button lets you enter a variety of additional information that will be written to the disc as part of the directory.



---

**Note:** In most cases this information is not visible or accessible to the user.

---

## Concerning Rockridge Extensions for UNIX

Toast cannot create discs with the Rockridge extensions for UNIX. It can, however, write images created by UNIX utilities such as “mkisofs” which do incorporate Rockridge name extensions.

## The Appearance of Windows on the Disc


On a Mac all windows of an ISO disc will be sorted by icon.



---

**Note:** If you use ISO format to make backups for a Mac, you might want to use short files names so that they don't overlap when viewed by icon.

---



## ISO 9660 – Multisession Format

This section covers adding an ISO 9660 session to a disc that already contains at least one additional ISO session. There are several different strategies that can be used when adding an ISO session. Each approach is covered below.

Before deciding which approach to use, you need to know what relationship the data in your new session has to the existing data. For example, does the new data supersede the old data? Or is it additional data that should be stored along with the old data?

The three primary strategies are:

- Ignore old sessions
- Append to old sessions
- Incremental backup session

### Adding an ISO Session

To add a new ISO session to a disc, begin by selecting your new data in the normal fashion (see “ISO 9660” on page 4-17)

Once your data is selected, click the **Write CD...** button in the main window.

This dialog box appears:



### Ignore Existing Sessions


Choosing this option produces a CD that appears to contain **ONLY** the data from the new session. All old data will be gone (it's not actually gone, since CDs cannot be erased, but you are no longer able to access it.)




**Note:** There is no way to view these old sessions. Only use this option if you are sure that older sessions are no longer needed.

### Append to “Name of the previous Session”

This option results in a disc that has the name of the new session as its volume name or label and has both the new data and the old data together in the “top” level of the directory structure.



It is also possible to selectively “delete” folders from the structure. For example, let’s assume that the folder “John” is no longer needed. In the ISO dialog create a new folder, give it the name “John” and define it as Invisible (see “Renaming Folders, Files and the Disc & Changing Visibility” on page 6-9). Then add any new data you may want, and write the session. The new data will be added to the structure and the folder “John” is no longer visible.



### Incremental Backup

Selecting Incremental Backup causes Toast to write only the files and folders that have changed since the last session.




**Note:** For this to work correctly you need to select the same volume or folders for each session. If you select completely different data, the results of an incremental backup is the same as if you selected “Ignore existing sessions”.

## Importing a Session from a Disc


For the ultimate in control, Toast allows you import the directory of previous ISO sessions and then edit and make any changes you want. You can delete, rename, move, and reorganize any of the files and folders of the old sessions.

To import an existing session, make sure the CD is in your recorder, then:

- 1 Click the arrow on the lower right side of the window and select Import Session.



If there is at least one ISO session already written on the disc, the Import Session dialog box is displayed:



- 2 Select the desired session (usually the most recent session) to import.



---

**Note:** If you import a session other than the most recent one, you will not be able to see any data from the sessions written after the one you have imported!

---

- 3 Specify how you want the session to appear in the new session's directory by clicking one of the radio buttons.

If you select **Merged**, the name of the session becomes the name of the new session and the data of the old session becomes the data for the new session.

If you choose **Put into a directory** the old session is put in a directory with the name of the session. If no data was selected before, a new CD directory is created containing one folder which contains the data from the old session.

- 4 Click **OK**.

The imported session is displayed in the ISO directory window. Files that are already written on the CD are marked with a small CD icon by their name.

### **Modifying an Existing File Structure**

At this point you can make changes to the file structure.

You can make any or all of these changes to the structure:

- Files and folders can be moved to another position.
- Files and folders can be added or removed
- Files, folders, and the disc can be renamed.
- The visibility of files and folders can be changed.
- New data can be added to any part of the directory structure.

The way you arrange the data determines the layout of the disc once you write the new session.



---

**Note:** To conserve disc space, files already on the disc are not written to the disc again; the directory structure is simply altered to match your changes.

---



### **Removing an Imported Session**

To remove an imported session from the ISO directory window, select **Remove Imported Session** from the pop-up menu in the lower right corner of the window. All the files and folders from the imported session are removed from the window, leaving only new data that you may have added.

## Mac/ISO Hybrid Format

This section covers the creation of Mac/ISO Hybrid discs. Hybrid discs may seem complex at first, but if you follow the simple guidelines presented here, it's a snap.

### Preparing the Mac Portion of a Hybrid Disc

For a hybrid disc, the Mac data must be by itself on a volume or partition.

This volume or partition should contain all the data for the Mac portion of the disc, as well as all the data shared by both the Mac and ISO portions.

You can arrange the data in any way, and the shared data may be located anywhere in the directory structure of the Mac volume.

### About Block Size and Shared Data

To write a hybrid CD containing shared data (data visible on the Mac and the PC), the block size of the Mac volume must be a multiple of 2048 Byte (2 K), unless you choose the **Optimize** option in the volume selection window.

The block size of the volume is shown in the **Info...** dialog.

If the block size of the selected Mac volume is not a multiple of 2 K, you have these options:

- You can check the option **Optimize for Speed** ("Optimize for Size" is not available in Hybrid format), which will allow the data to be shared.
- You could simply choose to write the common data to the disc twice, once for the Mac part and once for the ISO part. (This of course requires that there is enough room on the disc for two copies of the shared data.)
- You can create a temporary partition using Toast for use as your Mac data source. Temporary partitions created with Toast automatically have the correct block size for shared data.
- Reformat your hard disk and choose a compatible block size.

## The ISO Part of a Hybrid Disc

The data for the ISO portion of a hybrid disc can reside anywhere on your hard drives. You simply drag the desired files and folders into the ISO window in Toast to select the data.

- If you select data for the ISO part is located on the volume you selected as the source of the Mac data, that data will automatically be shared, and hence will be written to the disc only once.
- If you select data from other volumes or directories, it is visible only on PCs.

## Why Multisession Hybrid Discs are a Bad Idea

Creating a multisession Hybrid disc is generally not recommended for these reasons.

- No link can be established between the different sessions, which means you would end up with a multi-volume disc.
- On the PC only the data of the last session is visible; earlier sessions are ignored. (On a Mac each session appears as a separate volume.)



---

**Note:** It is okay to write a Hybrid session as the second session after an audio session. An audio CD player would then see only the audio tracks, while computers will see both audio and data.

---

## Testing your Hybrid Disc Before Writing

You can test the layout and contents of a hybrid disc before writing to make sure it is set up correctly.

- 1 After selecting all the data, choose **Save as Disc Image** from the File menu.  
The Mac and the ISO part are saved as a single disc image file.
- 2 Select **Mount Disc Image** from the Utilities menu..  
Two volumes are mounted on the desktop: one for the Mac part and one for the ISO part. You can then open the volumes

### ***Toast User's Guide***

to review their contents. (No changes can be made to volumes mounted in this manner.)

You can then review the layout of both volumes, and make any desired changes before writing the image to disc using the DISC IMAGE FORMAT. (Select Disc Image Format and choose the saved hybrid disc image as the source.)

## **Toast's Greatest Hits & Audio CDs**

Toast's Greatest Hits lets you create audio CDs by simply dragging tracks from existing CDs or sound files onto the Toast track list.

- Tracks can be copied directly from the original CD without saving them to a hard drive first. You can even select tracks from different CDs and Toast will prompt you to insert the correct source CD while writing the new disc.
- Toast can also write audio CDs from standard Mac sound files. Toast recognizes SoundDesigner II or AIFF sound files (they must be in 16-bit, 44.1 kHz format)

You can combine these two methods if desired.




**Note:** Direct copying of audio tracks requires a CD-ROM drive that supports audio extraction, a recorder that supports direct copying and a Macintosh that supports SCSI Manager 4.3.

## Selecting Tracks

There are two methods of selecting audio files or tracks for writing to a CD.

### 1 Drag & Drop Method

Select the desired audio files in the Finder and drag them onto the main window.



When selecting from an audio CD, you can drag one or more tracks, or simply drag the icon of the disc to select all the tracks.

## 2 The Selection Method

- a Clicking the **Audio...** button in the main Toast window will display the Audio Tracks window, shown here:



- b Click **Add...** and select the desired files in the dialog box that appears. To import all files in a given folder, click **Open** while the contents of that folder is displayed.

## Rearranging the Audio Files

You can drag the individual audio tracks around in the Audio Tracks window to change the order that they appear on the finished disc.

## Removing Tracks

To remove tracks from the list, select the desired files and click **Remove**.



**Caution:** Removing items from the list cannot be undone, but you can reimport the file if you remove something from the list by mistake.

## Previewing Tracks

To play a track select it in the Audio Tracks window and click the **Play** button. The track is played back using the Mac's internal audio output. If the track is on a disc which is not currently mounted, you are prompted to insert it.



---

**Caution:** Playing audio tracks requires the system extension "Sound Manager".

---

## Saving Tracks as Sound Files (Audio Extraction)

Toast can save an audio track as a standard AIFF sound file. Simply select the desired track or tracks in the track list and click the **Extract** button. You are prompted for a destination for the files.



---

**Note:** When you extract a track, Toast updates the track list to refer to the extracted file, rather than to the source CD for that track.

---

## Naming Your Source CDs & Tracks

For convenience while organizing and writing compilation discs, Toast uses the disc and track names that have been entered with the Apple CD Audio Player. If the Apple database contains names for any tracks selected, those names are used by Toast.

You can edit these names using Toast, or with the Apple CD Audio Player.

- To edit the names with Toast, double-click on any item in the track list to display the naming dialog box:





### Settings for Each Format

Enter the desired disc and track name(s) then click **OK**. You can use the arrows to move to a different track. *(If you change the name of a track which is based on a sound file, rather than a CD track, the name of the source file will be changed.)*


- To edit the names using the Apple CD Audio Player, select the player from your Apple menu:



Enter the desired disc and track name(s) in the appropriate fields.

## Writing from multiple source discs

If you have selected tracks from more than one disc, Toast displays a list of the discs when you click the **Write CD** button.



Make sure you have all the required source discs available before proceeding, as the write process cannot be aborted once begun.


## Toast User's Guide

While writing, Toast prompts you to insert the appropriate source disc as it reads each track:




## The Pause between Tracks

Toast automatically inserts a 2-second gap between each track. You can specify a different gap using the Pause menu. The menu sets the pause *before* the selected track(s).



If your recorder does not support pauses of less than 2 seconds, you may see this message:





---

**Note:** Toast records in Track-at-Once mode (not Disc-at-Once mode). When the gap is set at 0 seconds, a few frames are written between each track, resulting in a pause of a few milliseconds.

---

Check the Toast READ ME file on the installation disc for more information.

### **Index-Points – Text and Numeric Markers**

If you have defined index points in your SoundDesigner II files, Toast recognizes them and writes them to the disc. To read the markers in your sound files, select the marker type from the Index pop-up menu.



Choose Text Markers or Numeric Markers depending on the type of markers you defined. The number of markers is then displayed in the track list.



---

**Note:** Index-points are seldom used, because most audio CD players cannot use them (or even see them).

---

Not all CD writers are able to write index-points in track-at-once mode (the mode used by Toast). If your writer does not support index points, a dialog box is displayed to warn you when you try to write the CD.

## **CD-i Format**

Toast can write a CD-i disc from a CD-i image; these disc images are generated by various CD-i authoring systems like *Media Mogul* from Philips.

Toast cannot create CD-i disc directly from “dyuv” or video files.

## **Scrambling**

Toast can accept CD-i disc images that are scrambled or unscrambled. The application automatically detects the file type and writes the disc accordingly.

## Video CD Format

Toast can create a Video CD in two ways:

- By writing a Video CD disc image created by a Video CD authoring system
- By using individual MPEG streams multiplexed with “ASTARTE M. Pack”

Video CDs can be played on Video CD players, CD-i players, and computers with MPEG decoder cards.

### A Video CD from a Disc Image

All menu pages, links, and MPEG streams defined in your Video CD authoring software will be written to the disc when writing from a disc image.

### A Video CD from MPEG Streams

When you create a Video CD from one or more MPEG streams, the resulting disc will not have menu pages or links. It functions more like an audio CD. The following functions will be available when playing the disc in a Video CD or CD-i player:

- Play first (or only) video
- Jump to the next video if available
- Fast forward and rewind
- Pause
- Stop

For more flexibility in your Video CDs, you can create them using an authoring system and then write the discs using a disc image.

### Adding MPEG Tracks to a Video CD

After selecting **Video CD** from the Format menu, click the **Data...** button in the main window.

The MPEG Tracks window appears.

Click the **Add...** button to select files to be added to the track list. You can also specify a name for the disc (if desired).

## **Changing the Order of the Tracks**

To change the order of MPEG tracks, select them and drag them to the desired position in the list.

The order of the files in the list determines the order of the tracks on the finished disc.

## **Removing MPEG Tracks from the List**

To remove imported MPEG-streams from the list, select the desired files and click **Remove**.

## Enhanced Music CD Format



**Note:** Creation of Enhanced Music CDs can be quite complex. This section is intended only as an overview of the process. We recommend that you refer to the documentation included with your Enhanced Music CD authoring system for more information.

An Enhanced Music CD, also called CD Extra and formerly known as CD Plus, is a disc that contains audio tracks in the first session and a data track in the second session. The data track has to conform to the specifications of the Blue Book, which requires a precisely defined file structure.

- Toast creates Mac/ISO hybrid Enhanced Music CDs with shared data.
- Toast supports the creation of 100% Blue Book conformant discs.

### Steps to Creating an Enhanced Music CD

The first step in creating an Enhanced Music CD with Toast is to create an Audio CD containing the desired tracks.

Be sure to choose **Write session** rather than **Write disc** when creating the audio disc, or Toast will not be able to append the Enhanced Music CD session to the disc.

Toast is able to create Enhanced Music CDs from

- A pre-made CD EXTRA directory hierarchy, or
- AQuAC file.

#### Using a pre-made Hierarchy

- 1 Launch Toast and set the disc format to Enhanced Music CD.
- 2 Click the **Data...** button and select a volume to be used for the CD.
  - If you already have a valid hierarchy, just select a Macintosh HFS volume that contains the “CDPLUS” and “PICTURES”

directories in a directory called "CD EXTRA" at its root level.

- The root level "CD EXTRA" folder is used to create the ISO part of the CD.
- Toast checks the integrity of the directory hierarchy and report any problems found.

See "CD EXTRA Hierarchy" below for further details.

### **Using a QuAC File**

To create an Enhanced Music CD from an existing QuAC file, simply put the file into the root directory of a Macintosh HFS volume. When you select the volume, Toast asks you whether you want to use the QuAC file to make an Enhanced Music CD and creates a directory hierarchy from the QuAC file for you.

See "QuAC Files" below for further details.

All Enhanced Music CD discs created with Toast are hybrid Macintosh HFS / ISO-9660. The ISO part contains all the files in the "CD EXTRA" folder of the Macintosh volume.

Files in the "CD EXTRA" folder are automatically shared, with two exceptions:

- INFO.CDP is duplicated in the ISO part, because it has to be placed at relative sector address 75 according to the Blue Book standard.
- The MPEG pictures are not shared because they are recorded in form 2 sectors.

Before Toast writes the disc, it verifies the integrity of the data structures. If there are no problems, the relative sector offset addresses will be updated and the CD written.


### **QuAC Files**

In 1995 Apple introduced the **QuickTime Audio Containable** standard for documents that contain information for music CDs as well as pictures and optional interactive controls.



## Settings for Each Format

When you choose a QuAC file as your data source for a Enhanced Music CD, Toast will create a structure like this:



lc = language code, e.g. “de” for german, “en” for english, etc.

nn = Track number; 01, 02,... for the single tracks, 00 for the whole album

Toast only creates files for which data actually exists, but it always creates the INFO.CDP, at least one SUB\_INFO.lc, and four picture files.

Picture files are created for the front cover picture of the album only. Toast substitutes MPEG files using a set of internal replacement pictures (showing the CD EXTRA logo). You can replace these files with your own sectorized MPEG pictures in the proper resolutions (NTSC or PAL).

The QuAC file appears at the root level of the ISO volume.

## CD EXTRA Hierarchies

Toast can also make an Enhanced Music CD disc from a manually constructed directory hierarchy. The structure has to be similar to the one described in “QuAC Files” above.

Toast CD-ROM will verify several parts of the directory structure before starting to write it to CD. In particular, Toast will check the following criteria:

### Directories

A “CDPLUS” and a “PICTURES” directory must be present in the “CD EXTRA” directory in the root directory of the Macintosh HFS volume.

### **INFO.CDP**

The file "INFO.CDP" must be present in the "CDPLUS" directory. It has to conform to the Blue Book specifications and contain space for pointers to each of the "SUB\_INFO.lc" files.

### **SUB\_INFO.lc**

The "SUB\_INFO.lc" files have to be valid, that is, they have to conform to the Blue Book specifications and contain space for pointers to each of the "TRACKnn.MID", "LYRICSnn.lc", and picture files.

### **AUTORUN.INF**

If there is no "AUTORUN.INF" file in the "CD EXTRA" directory of the HFS volume, Toast will create a simple file with just the line "[autorun]" in it. You can edit this file, but remember to save it in CRLF format.

### **Picture Files**

Toast only accepts picture files with file extensions of the form nnx (e.g. JACKET01.00J or VANESSA.01J) where nn is a track number (or 00 for the whole album) and x is the format type which could be any of J, N, T, S, P, A, or L.


At least the JPEG files have to be present; MPEG files will be substituted using Toast's built-in set of MPEG replacement pictures (showing the CD EXTRA logo) if they are missing.

If MPEG files are present, they have to be fully sectorized (2352 bytes/sector). They must not be scrambled. The header and sync fields will be patched during recording, but the subheader has to be correct.

## SCSI Copy Format

SCSI Copy is used to make a direct copy from a hard drive, CD-ROM drive or other SCSI volumes, to a CD. It is ideal for making exact copies of existing data CDs.

When you click the **Data...** button while in SCSI Copy mode, this window is displayed:




If your Mac has more than one SCSI bus, select the desired SCSI Bus from the pop-up menu to view the devices connected to that bus.

## Searching the SCSI Bus

If you switched on a SCSI device after opening this window the device will not appear in the list. Click Re-Scan to search the SCSI bus and list new devices.

## Options

After you have selected a device in the list, the **Options...** button will be available. Click it to set these options:




Normally both options should be checked. If you are copying a bootable CD, uncheck "Clear Driver Descriptor Map".

You can accept the default settings if you don't have special requirements.

## The Amount of Data to be Copied

After selecting a device to copy, click **OK**. This window is displayed:



SCSI copy normally copies the entire volume, even if not all the space contains data.

You can change the number of blocks to be copied to eliminate the copying of empty space. You should only change these settings if you are very sure of what you are doing. Incorrect settings can result in a useless disc.



---

**Note:** When copying a disc you have written yourself, the Number of Blocks to copy will be less than the total number of blocks on the disc. Toast makes this adjustment automatically, since the Mac cannot read the last blocks from a CD-R.

---



---

**Caution:** Mac volumes should not be copied using SCSI Copy; it is always preferable to use the “Mac Volume” format.

---

## When Copying a CD

Copying a CD only works under these conditions

- The disc may only contain one track in one session.
- The disc may only contain sectors that can be read by the Mac: Mode1 or Mode2 Form1 sectors.
- Discs containing Mode2 Form2 sectors cannot be copied as the Mac cannot read those sectors.
- Your CD-ROM drive must be faster than your selected recording speed. For example, if you want to record the copy at 2x, your CD reader must be at least a 4x.



---

**Note:** To copy audio CDs use the Audio CD format and drag the icon of the audio disc onto the track list window to select all the tracks.

---


## Disc Image Format

Disc Image format is used to write a previously saved disc image to a CD. Disc images can be created in Toast, by using the “Save as Disc Image” command. Disc image files can also be generated by some multimedia authoring systems and other specialized applications.



**Note:** Video CD or CD-i disc images created in their respective authoring systems should always be written in the corresponding format, NOT the Disc Image format.


When you select Disc Image format for a disc, the **Data...** button displays this file selection dialog:



### Auto-Detect Format

Turning on this checkbox sets Toast to automatically determine the appropriate CD format for any disc image that you select. Normally you should leave this option checked.

To set the format options manually, uncheck the Auto-Detect Format checkbox. When you select an image and click **Open**, the following dialog box is displayed:



Change these settings only when really necessary!

### **Pregap and Postgap**

You can change these from the standard settings.

### **Sector Size**

The Sector Size is set automatically according to the contents of the disc image. You can change it using the pop-up menu.

### **Scrambled**

If the selected disc image is NOT scrambled, uncheck the Scrambled checkbox.

Once you have selected an image file, and click **Open**, the size and format of the data is displayed in the main window.

### **Mounting Disc Images**

You can mount the selected disc image as a volume on the desktop to check its contents. Simply click the **Mount** button. (If no image file has been selected, clicking the **Mount** button displays a file selection dialog box.)



---

**Note:** If you mount a Mac/ISO Hybrid disc image two volumes will be mounted on the desktop, one for the Mac part and one for the ISO part of the disc image.

---



---

**Caution:** A disc image file must be stored in contiguous disk space in order to be mounted. If your disc image is fragmented, use a commercial disk optimizer (e.g. Norton Speed Disk) to defragment the volume which contains the image.


---

A disc image can also be mounted by selecting Mount Disc Image from the Utilities menu.

## Multitrack CD-ROM XA Format

This format is used for writing several CD-ROM XA tracks in one session. Most CD-ROM formats consist of only one track per session and therefore the “Multitrack CD-ROM XA” format is very seldom used.


When you select the Multitrack CD-ROM XA format, and click the **Data...** button, this track selection window is displayed:



Use the **Add...** button to select the XA image files that you want to include on the disc or drag them onto the window.

### Options for XA Tracks

The **Options...** button allows you to change the block size for the select track:



It is normally set to the correct value automatically so don't change it unless absolutely necessary.



## Audio Tracks Format

The Audio Tracks format is used to add audio tracks to another data format to create Mixed Mode CDs. The data and audio are written in one session. The data track is always placed before the audio tracks on the disc and there is no way to change this order.



---

**Note:** If you write a CD with audio tracks selected but no data, the result will be a standard audio CD.

---



---

**Caution:** If you write a disc in this format with both data and audio tracks, the data track should not be played in a standard audio CD player. Because the data is part of the first session, the audio recorder would be able to “see” the data tracks. Playing data tracks can be harmful to an audio system, especially speakers.

---

The Mixed Mode format has generally been superseded by the audio/data Multisession format where the first session consists of audio tracks and the second session consists of data (CD Extra or second session in HFS, ISO 9660 XA, Mac/ISO Hybrid XA format). Using this format the data track is not visible in audio CD players. (Some older CD-ROM driver software will not mount audio/data multisession discs. See the publisher of your CD driver for more information.)







# Writing Discs

## What is Transfer Rate?

To successfully write a CD, Toast must be able to get your computer to supply a steady stream of data to the recorder. How fast the data must be supplied depends on the writing speed and disc format that you've selected.

The speed of data flow is called the **Transfer Rate**; it indicates how many kilobytes of data are transferred in one second from the Mac to the writer.

This chart shows the transfer rates required for different formats and writing speeds:

Write Speed	Audio & Mode2 Form2	HFS, ISO, Hybrid Mode1 / Mode2 Form1
1x	172 K/s	150 K/s
2x	344 K/s	300 K/s
4x	689 K/s	600 K/s
6x	1033 K/s	900 K/s


## Checking the Transfer Rate

To minimize wasted discs, Toast gives you two different tools for verifying that you have adequate transfer rates: Check Speed and Simulation Mode (Simulation Mode is covered later in this chapter).

## *Toast User's Guide*


You can check the transfer rate before writing to see whether your system is fast enough to write with the desired speed.

To run the Check Speed procedure, click the **Check Speed...** button in the main window (make sure you have selected your data first!). This window is displayed and the checking begins automatically:



The speed check proceeds as follows:

- 1 If you checked the option Optimize in Mac Volume or Mac/ISO Hybrid format the Optimize progress window appears while the files are rearranged.




- 2 The RAM cache is then filled with data read from the source volume. (The size of the RAM cache is set in the Preferences dialog in the Edit menu.)
- 3 The Recorder cache is filled.
- 4 All selected data is read.

The two vertical bars indicate how much data is currently stored in the RAM caches. The downward-facing arrows mark the lowest point that the cache level reaches during the checking process.

It is normal for the levels to fluctuate during testing; however, if the Recorder Cache bar reaches the bottom at any time

during the speed check, it means that the data rate is too low. If that happens, the FAILED indicator appears:



---

**Caution:** Do not write the disc with these settings, as the write procedure will most likely fail and the CD will be wasted!

---

To check the data rate for a different writing speed or a different recorder model, click the **Stop** button, then make your new selection from the Simulation or Speed menus, and click Start. (These menus are initially set to match the connected recorder.)




---

**Note:** Check Speed is only an approximation (the data is read but not transferred to the writer). If the results of the speed check are borderline, try Simulation Mode, which gives a more accurate evaluation.

---

## Error Messages

You might get the following error message while checking the transfer rate:



This can happen if you try to copy one of the following CDs using SCSI Copy mode:

- CD-i, Video CD, Photo CD, CD Extra or
- Another disc with audio or Mode 2 Form 2 sectors or
- A disc containing more than one track or
- A disc containing more than one session.

Do not try to write the disc if you get this message!

If you want to copy such a disc you will need to obtain special software that converts the tracks into readable files, for example ASTARTE CD-Copy.

## What to do if “Check Speed” fails

If “Check Speed” fails you can

- Set the write speed to a lower value. For details see “The Write Procedure” on page 7-6.
- Use an AV hard disk with no thermal recalibration while writing (please refer to your dealer for details about your hard disk).
- Turn off all unnecessary system extensions. If you use System 7.5, you can boot with all extensions off (hold down the shift-key while starting your Mac).



---

**Note:** Toast does not require any extensions to run, however, if you are copying from a CD you will need to run the appropriate driver software for your CD-ROM drive. Also, on older Macintoshes, you may need to run the SCSI MANAGER, the THREAD MANAGER and the DRAG & DROP MANAGER extension to take advantage of some of the features of Toast.


---

- Turn off all network connections when writing data placed on local volumes.
- Remove all devices from your SCSI chain that are not presently needed. Some devices slow down the SCSI bus (especially removable media drives and scanners.)
- Check cables and terminator. Slightly defective cables or terminators can slow down the SCSI bus, even though the effect may not be noticeable in normal use.
- If your Mac supports SCSI Manager 4.3:
  - Increase the RAM Cache (Preferences from the Edit menu).
  - Make sure your hard disk driver is able to work in asynchronous mode (With System 7.5 the driver information is displayed in the “Get Info” dialog for the hard disk in the Finder.)
- Create a disc image of the selected data before writing. Please refer to the next section for details.

## The Write Procedure


After satisfying yourself that the transfer rate is adequate, you are ready to write the disc.

- Insert a recordable CD with enough free space to write the selected data. (To check the free space available on a disc, choose Disc Info from the Recorder menu.)
- Click **Write CD....**
- If there is no disc in the recorder this message appears:




- Toast now verifies that it can locate all the data that you selected.

If you selected many files this procedure may take a while. (If you are sure that you didn't move or rename any items after selecting them you can skip the verification.)





If one or more selected items could not be found, an error report is displayed:




If you click **OK** Toast removes these items from the list and does not write them to CD. Click **Cancel** if you want to locate the files and reselect them in the data selection window.

- If you chose ISO 9660 format and the inserted disc already contains at least one session, the ISO Multisession dialog box is displayed:




Click on the desired option to determine how the new session is linked to existing sessions.

- If you checked the **Optimize** option, Toast prepares for the optimization process (if your data contains many small files, this can take some time):



- If there is not enough free space on the disc for the selected data, Toast warns you:



You cannot write the disc if there is not enough space for the selected data.

- If Use Autoloader or Use Kodak Disc Transporter (Utilities menu) was selected, this box appears:



Enter the number of copies you want to be written. To close the disc so that no further data can be added later, check **Fixate Discs**.

- The Write dialog box appears

## The Write Dialog Box



The Write dialog box lets you set a variety of options for the writing process.

### Speed

Use the Speed menu to select the desired writing speed (this menu is a duplicate of the Write Speed menu in the Recorder menu). Only those speeds that apply to your recorder are available.

The last write speed used in Check Speed is set by default.

### Simulation Mode

Simulation Mode allows you to run through the entire process of writing the disc, exactly like the real writing process, except that the laser is not turned on in the recorder, so nothing is written to the disc.

- All error messages that would be displayed while writing will also be displayed in simulation mode.
- Simulating the write procedure takes the same amount of time as writing.
- When simulation mode is selected **\*\*\* Simulation Mode\*\*\*** is displayed in the menu bar in red letters.



---

**Note:** During simulation, the write indicator light on the recorder turns on, just as if you were actually writing. This is normal, and does not indicate that the disc is really being written.

---

The simulation mode gives more exact results than “Check Speed” since the data is actually transferred to the writer. (see “Checking the Transfer Rate” on page 7-1).

## Create Disc Image first

If your Mac is not fast enough to write with the selected speed or to optimize a Mac volume while writing you can choose to create a disc image of the selected data before writing the disc.

If you check this option, the disc image is created and then writing begins automatically, using the image as the source.



---

**Note:** If you are not sure that the transfer rate is high enough to write the disc image with the desired speed, use the **Save as Disc Image** command from the File menu after selecting the data. Then choose the Disc Image format to write the saved disc image and check the transfer rate again.

---

## Writing a Session

Click **Write Session** if you want to be able to add additional data to the disc at a later time.

If you checked the option **Create Disc Image** first you are asked to select the place to save the image file. The image file takes the same amount of disc space as the selected data.



---

**Note:** If you are not sure whether you will add more sessions to the disc later, choose **Write Session**. However, if the disc will be used as master for a duplication plant it should always be closed.

---

The **Write Session** command is not available if:


- The selected data occupies more than 625 MB.
- There would not be enough space left on the disc to write another session.
- You write in ISO 9660 or Mac/ISO Hybrid format and you did not select the CD-ROM XA option for the format (see “Format Settings” on page 6-21).



**Caution:** Each new session on a disc requires additional space to hold the directory structure.

- The first session uses approximately 23 MB
- Each additional session takes approximately 12.5 MB.

Consequently, if you write many small sessions, the disc holds less data than if you write larger sessions.



These 9 sessions use a total space of 52.1 MB if you just add up their sizes. In theory that would leave 598 MB available when starting with a CD-R with 650 MB of free space.

However, Toast shows that is only 474 MB available; 124 MB was used for the sessions' overhead.

Theoretically you could write a disc containing 99 sessions each having approximately 6.56 MB of data (6.56 MB x 99 = 649.44 MB). But because of the additional overhead you can only have 33 sessions each using 6.56 MB:  $((6.56 \text{ MB} + 23 \text{ MB}) + (32 \times (6.56 \text{ MB} + 12.5 \text{ MB}))) = 639.48 \text{ MB}$ .

## Writing a finalized Disc

To write the selected data and close the disc so no more data can be added later, click **Write Disc**.


If you checked the option **Create Disc Image** first you are asked to select the place to save the image file. The image file takes the same amount of disc space as the selected data.



**Note:** If the disc will be used as master for a duplication plant it should always be closed.


## After Writing

After all the data is written the following dialog box is displayed:



If you do nothing or if you click **Verify**, the newly written data is compared with the original data on a block level.

- If there is a data mismatch Toast displays a notification dialog.
- If both the original and the copy are identical, you get the following message:



---


**Note:** Audio CDs, CD-is, Video CDs, Enhanced Music CDs and Multitrack CD-ROM XA discs cannot be verified after writing.

---

If the option **Calculate a checksum** while verifying in the Preferences (Edit menu) was checked, the checksum is displayed after verifying.

- Select **Copy** from the File menu to copy the checksum or simply write it down.





## Toast Audio Extractor


The Toast Audio Extractor, or TAE, is a simple application that allows you to save tracks from an audio CD as Mac sound files in a variety of formats. It requires a CD-ROM drive that supports audio extraction.

### Getting Started

Launch TAE by double-clicking its icon in the Finder. After a moment the main window is displayed. If an audio CD is already mounted, its contents are shown in the window; if not, insert one to begin.

## The Main Window

You can control all of the application's functions from this window.



## Track List

The track list shows the number, title (if available) and length of all the tracks on the CD. The names are taken from the AppleCD Audio Player's database. If you have previously named the tracks using the Apple player, those names are displayed in the track list.



## Naming the Disc and Its Tracks


To edit the names with TAE, double-click on any item in the track list to display the naming dialog box:



Enter the desired disc and track name(s) then click **OK**. You can use the arrows to move to a different track. The names are stored in the Apple CD database and are available to any applications that use that data (Toast, TAE, and AppleCD Audio Player, among others).

## The Track Display


The Track Display area shows a graphic representation of each track on the disc. Initially, each track is indicated by an open rectangle (as show here).



Each track on the disc is indicated by a rectangle

To view the waveform of one or more tracks, simply select them in the track list or track display and click the **Preview** button. The progress window appears while TAE reads the tracks and builds the


waveforms. This may take a while, depending on the length of the tracks and the speed of your CD-ROM drive.



### About the Overlap option

TAE attempts to preview and extract audio data at the full speed of your CD-ROM drive. On some drives, this may result in errors that reveal themselves as clicks when you listen to the sound files. If you experience this problem, check the **Overlap (safer but slower)** option in the extraction progress window. When the Overlap option is checked, TAE verifies the data before saving it, to ensure accurate extraction.

After reading, the waveforms are displayed:




---

**Note:** TAE stores the data for the waveform display in a folder called "TAE Waveform Cache *f*" located in the same folder as the Toast Audio Extractor application. If you delete these files, the waveforms will have to be recreated the next time you use that particular disc.

---


## Operational Controls

This section of the main window contains the main controls. There are buttons for starting the Extraction process, setting sound options, and playing and previewing the selected audio tracks.



## Options

The **Options** button brings up this window which lets you specify the desired format for the extracted tracks:




Specify your preferred sound file format here.



**Note:** If you select Toast **Image File** as the sound format, TAE will save a single file containing all the items you've selected for extraction (Toast *recognizes the individual tracks within the image file.*) All other formats save one file for *each* track.

The selected format is indicated in the lower right corner of the main window too:




## Extract

Clicking the **Extract** button begins extraction of any selected tracks. If no tracks are selected, the entire CD is extracted.

## Zoom Controls

This section of the main window contains the Zoom controls. They affect what you see in the Track Display area.




*This is very useful if you want to select just a portion of a track for extraction.*

## Extracting Tracks

To extract tracks from the CD, simply select the desired track or tracks and click the **Extract** button. TAE presents a standard file naming window; specify the name and location for the extracted files and click the **Save** button.

As a short-cut, you can simply select any track or tracks in the track list or track display and drag them to the desired location in the Finder. TAE immediately begins extracting the chosen items to that location.






# Appendix

## About CD-Rewritable Drives

CD-Rewritable is a new technology that allows a recordable CD to be erased and reused. To take advantage of this technology you need a CD-rewritable drive and special erasable media.


If you have a rewritable drive, you can erase your disc at any time by inserting the disc in your recorder, selecting the **Disc Info** command from the **Recorder** menu and clicking the **Erase...** button.



The Erase Confirmation dialog box gives you the option to perform a *Quick Erase* or a *Standard Erase*. Quick Erase erases only the TOC (Lead-in) and the pregap of the first track, which is very fast. This option is ideal for discs that will be written with Toast but is not

## Toast User's Guide

compatible with packet-writing. *If you want to be able to write the disc with software other than Toast, be sure to select the standard Erase button.*



- Toast can erase in the background if SCSI 4.3 is present. *Erasing can not be aborted.*

Toast ejects the disc after erasing without any further messages.

## Toast and AppleScript

Toast 3.5 is fully scriptable using AppleScript. Virtually any type of CD mastering tasks can be automated.



---

**Note:** It is beyond the scope of this manual to cover application scripting. However, there are many good books available on the subject.

---

### Sample Scripts

When you ran the Toast installation program it installed several sample scripts on your hard drive. These will give you a glimpse into what's possible with Toast and AppleScript.

#### Toast & Shutdown script

This simple script writes a CD and then shuts down the machine. This might come in handy if you'd like to start a CD writing session before you leave the office. The script assumes that Toast is running and ready to start writing (data selected, etc). In case of an error the script is aborted and the Mac is not shut down, so that you can examine the cause of the error when you return.

#### Copy SCSI Disk script

This is a sample script that demonstrates how you can setup Toast to copy the first 30 MB of the SCSI device at Bus 0, ID 0 (usually the internal hard disk) to CD. (You normally wouldn't want to do that.)

#### Drop\*Burn script

A somewhat more complicated script that writes items dropped onto it to CD. It demonstrates how AppleScript can be used to create a customized user interface for Toast.

#### Hybridizer script

This sample Droplet offers an easy way to set up a Mac/ISO hybrid disc. Just prepare a Mac volume as usual, and put all the ISO data in a folder on that volume. Then drop that folder onto the Hybridizer icon.

### ***Toast User's Guide***

For more information please open the AppleScript dictionary using ScriptEditor or other similar application.

### **NOTE FOR SOFTWARE DEVELOPERS:**

Please contact us if you want to control Toast from your application via AppleEvents. A header file containing useful constants and some documentation is available on request.



## Troubleshooting

This table contains answers to commonly asked questions and problems relating to writing CDs.

The questions are grouped as follows:

- Sections for each of the different disc formats
- Checking the Data Rate
- Before Writing
- While Writing
- After Writing

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
<b>Mac Volume format</b>		
Some windows do not look the same as on the original (that is, you closed all the windows, but when the CD is mounted, some windows are open).	The information about window positioning, size, and view is only recorded by the Finder from time to time. The latest position was still not saved by the Finder before the disc was written.	Unmount the volume (drag it into the Trash) and mount it again before writing or open any application (the Finder will then save all window positions).
Although a volume's amount of used space does not exceed the capacity of a CD-R, you get the message that the data will not fit on the CD-R.	The selected volume is fragmented, that is, the data is not stored contiguously on the volume. Click Info... to see how the data is stored. The important value is the Size of CD-ROM.	Defragment the volume using a commercial disk optimizer (for example, Norton Speed Disk™) or Check the Optimize option in the Volume Selection window.
Although you checked Optimize for Size the value for the amount of data to be written displayed in the main window seems to be too big.	The amount of data actually written is only displayed after Toast has performed its optimization procedure.	Click Check Speed... on the main window. Before checking the data rate, optimization takes place. Afterwards the real value is displayed in the main window.
You select a volume and get the following message: "Your Volume" could not be unmounted. All open files and programs on this volume must be closed first.	Volumes with open files or applications cannot be written without optimization.	Close all files and quit open applications or check the option Optimize. This will allow you to write open files and programs.

## Toast User's Guide

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You drag a volume onto the main window while the Mac Volume format is selected. Toast changes to another format and selects the data in this format.	Only local Macintosh HFS volumes can be written in Mac Volume format.	Depending on the kind of volume Mac Files & Folders (when a server volume is dragged) or SCSI Copy (when no HFS volume is dragged) is selected. The data is then loaded automatically.
You get the following message: The Apple CD-ROM driver could not be found. Would you like to look for it?	You checked the Bootable option but no Apple CD-ROM driver was found in the System Folder of your startup volume. (Toast uses the Apple CD driver to create the necessary boot information on a Bootable CD.)	Click OK and select the driver which is to be used to boot from the disc.
You wrote more than one HFS session on the same disc. When you insert the disc you only see the first session.	Your current CD-ROM driver does not support multisession discs.	If you have an Apple CD-ROM Drive, install the Apple CD-ROM driver version 5.1.x (or higher) or mount the disc using your CD writer and the system extension "Toast CD Reader". NOTE: Each HFS session is mounted as an individual volume/icon.
In older versions of Toast you could mount a temporary partition by double-clicking its image file. Now when you double-click an image file it just opens Toast.	Since disc images can now be saved for all formats, it might not be desirable (or even possible) to automatically mount a disc image when double-clicking it.	After double-clicking a disc image in the Finder, Toast will open with that image automatically selected in the "Disc Image" format. You can then click on the Mount button to mount the image.
Even though a partially used volume appears to be totally defragmented (when viewed in the Info... window), Toast still reports that the entire drive is used.	You may be using Norton FileSaver™. FileSaver places its invisible files on the very last block of the drive, which makes Toast believe that the entire drive is full.	Before writing, deactivate FileSaver for the selected drive. FileSaver will then delete its hidden files and Toast will report the correct amount of space used.
<b>Mac Files &amp; Folders format</b>		
When you drag files and folders onto the selection window you get the following messages: Please insert disk... At the File Server "The Server" registered as... Some aliases couldn't be resolved:	The option Resolve aliases was checked. The selected data contains aliases which point to data which cannot be found. This often happens when you drag a System Folder containing folders like "Recently used applications" or similar.	Uncheck the Resolve aliases checkbox. The aliases are loaded as aliases and are not resolved. (They are displayed in italics.)

## Appendix

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You drag files and folders onto the selection window. You get the following message: Couldn't complete the last command because the volume could not be found. Error code = -35.	The option Resolve aliases was checked. The selected data contains aliases which point to a volume which cannot be found.	Connect the respective volume or Uncheck the option Resolve aliases. These aliases will then be loaded as aliases and are not resolved.
You insert a disc written in "Mac Files & Folders" format and the icons of files created by a specific application don't look like they usually do.	The desktop files used for the disc do not contain information about the applications used to create those files.	Before importing any data, import a folder from the volume which contains the respective applications. Then the desktop files from that volume will be used (see "Mac Files & Folders Format" on page 6-8).
You wrote more than one HFS session on the same disc. When you insert the disc you only see the first session.	Your current CD-ROM driver does not support multisession discs.	If you have an Apple CD-ROM Drive, install the Apple CD-ROM driver version 5.1.x (or higher) or mount the disc using your CD writer and the system extension "Toast CD Reader". NOTE: Each HFS session is mounted as an individual volume.
<b>ISO 9660 format</b>		
You want to back up your Macintosh data using ISO format. After importing the data, all names are shortened and the original names are displayed beside the new names in gray letters.	A naming option was chosen which doesn't allow more than 8.3 characters.	In the ISO window click Settings and choose Allow Macintosh Names. Also check the option Use Apple Extensions.
When you drag files and folders onto the selection window you get the following messages: Please insert disk... At the File Server "The Server" registered as... Some aliases couldn't be resolved:	The option Resolve aliases was checked. The selected data contains aliases which point to data which cannot be found. This often happens when you drag a System Folder containing folders like "Recently used applications" or similar.	Uncheck the Resolve aliases checkbox. The aliases are loaded as aliases and are not resolved. (They are displayed in italics.) NOTE: Aliases only work on the Mac!
You drag files and folders onto the selection window. You get the following message: Couldn't complete the last command because the volume could not be found. Error code = -35.	The option Resolve aliases was checked. The selected data contains aliases which point to a volume which cannot be found.	Connect the respective volume or Uncheck the option Resolve aliases. These aliases will then be loaded as aliases and are not resolved.

## Toast User's Guide

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
After importing all the data you click Write CD.... The option Write Session is not available.	Either there is not enough free space on the disc to add another session or You didn't choose CD-ROM XA for the format in the ISO dialog.	If there is not enough free space on the disc the disc will have to be closed. Click Write Disc. Be sure to choose CD-ROM XA for the format in Settings.
After importing all the data you click Check Speed... or Write CD... and get the following message: The ISO 9660 standard does not allow more than 8 levels of nested folders. The disc will not conform to the ISO 9660 standard if you continue.	The naming options were set to Allow MS-DOS Names or ISO 9660 Level 1. Your data contain more than 8 levels of nested folders.	If you write this disc some files may not be visible when reading the disc on a PC. (It depends on the particular ISO driver whether more than 8 directory levels can be accessed.)
You wrote an ISO multisession disc. If you read the disc on the Macintosh, each session is mounted as a separate volume, but all sessions have the same name and apparently the same contents.	Some CD-ROM drivers are buggy. Instead of showing only the last session, all sessions are mounted.	Install the latest Apple CD drivers or read the disc with your writer and the extension "Toast CD Reader" or install other driver software, e.g. "CD-ROM Toolkit™" from FWB.
When you write a session to a disc which already contains an ISO session. You get the following message: The disc appears to be damaged. Ignore existing sessions?	Important data could not be read from the disc such as the TOC (table of contents) or similar.	If you continue, the session will be written as a separate volume.
You wrote a multisession disc. When you insert the disc you only see the data of the last written session. Data from former sessions is not visible.	When you wrote the last session you chose the option Ignore existing sessions or Incremental Backup.	To recover the data of the previous session choose Import Session in the ISO dialog. Import the previous session and add the data for the new session.
You want to add a session to a disc which already contains at least one session. You click Write CD... and get the following message: "Your Session" is in CD-ROM format. It is recommended to use CD-ROM XA for multisession discs. Would you like to change the format to CD-ROM XA?	You didn't choose CD-ROM XA for the format options in the Settings window.	Click Change. If not you will not be able to add any other data to this disc later.

## Appendix

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You back up your data in ISO multisession format. The writing of the last session was aborted. You cannot read any file on the disc although you see them.	The TOC was written but nothing else.	You can recover the data of the previous session by using the Import Session command in the ISO dialog. Import the last session which was correctly written and add the data for the new session.
You drag a volume onto the ISO selection window. Items which were on the desktop or in the trash on the volume are not shown in the list.	There is neither a "Desktop folder" or a "Trash" folder on ISO discs so items in those directories cannot be written to an ISO disc.	If you want to write those items, drag them onto the selection window after dragging the volume.
You wrote a disc with Macintosh names. Some file names are not shown like they were originally defined. Therefore you get error reports when comparing the disc with the original data (when using Compare from the Utilities menu).	Some ISO drivers cut the following characters at the end of a file name: "blank", ",", ".", "number".	Press the Option key while inserting the disc in the Mac. Then all names are displayed in their full length.
<b>Mac/ISO Hybrid format</b>		
You have selected a volume for the Macintosh part. In order to share data with the ISO part you drag files from the same volume onto the ISO selection window. You get the following message: "Optimize for Speed" will be used, because the allocation block size of "Your Volume" is not a multiple of 2 K.	You can only have shared data on Macintosh volumes with an allocation block size which is a multiple of 2 K. Otherwise the optimizer has to be used.	If your computer is not fast enough to optimize on-the-fly. Save all data as a disc image before writing -or- Use a temporary partition created with Toast for the Mac volume -or- Reformat your hard disk with a correct block size.
You do not have a complete volume available which only contains the Macintosh and the shared data.		Choose the format Mac Files & Folders and drag all desired data onto the selection window. Save the data as a disc image. Mount the disc image and use it as the Mac data source -or- Create a temporary partition and copy all the data into the partition.

## Toast User's Guide

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You want to have shared data on a Hybrid disc. You select all data for the Macintosh and the ISO part but no data is recognized to be shared.	In order to share data, they have to be placed on the selected Macintosh volume and they have to be selected again for the ISO part.	Make sure that you import the data from the already selected Macintosh volume in the ISO dialog. If the shared data was defined using aliases, make sure that the aliases point to items placed on the selected Mac volume and that the option Resolve aliases is checked.
You wrote several Hybrid sessions onto the same disc. You get different results when reading the disc on a Macintosh or on a PC.	Hybrid discs should never be written as multisession discs.	On a PC you will only see the last written session, on a Macintosh you will either see only the first session or all sessions as single volumes (depending on the installed driver)
You wrote a Hybrid track as the second session of an audio CD. When you insert the disc into your CD-ROM drive you cannot see any data, only audio tracks are displayed.	Older CD-ROM drivers do not read such discs correctly.	Install another CD-ROM driver: Apple CD-ROM driver version 5.1.x or higher, "CD-ROM Toolkit™" or use your writer with the extension "Toast CD Reader".
<b>Audio CD/ Audio Tracks format</b>		
You drag an audio file onto the audio selection window and get the following message: Only 16 bit/44 kHz sound can be written. "Your File" is not in this format.	The audio file has the wrong format.	Save sound files in the following format: 16 Bit, 44.1 kHz, stereo or mono.
Beside the name of the file "Mono" is displayed in brackets.	The sound file was saved in mono format.	Mono files are converted into stereo files where both channels contain exactly the same sound information.
You take an audio CD to a disc replicator for duplication and they report a problem with the master.	Toast writes audio CDs using "track-at-once" mode, but replicators prefer audio master discs written in "disc-at-once" mode.	Use a program like Toast CD-DA to write your audio master.
You hear noises between audio tracks although your original data is correct.	The firmware versions of some writers cause clicks between tracks.	Please contact your hardware dealer to get a firmware update for your writer.
Before writing you get the following message: Your recorder does not support index generation. All index markers will be ignored.	Not all writers can write index-points in track-at-once mode.	If you need to have index-points on the disc (they are very seldom used) use another application which writes in disc-at-once mode, e.g. "Toast CD-DA".

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
<b>CD-i format</b>		
You drag a disc image onto the main window. Toast changes to "Video CD" or "Disc Image" format.	Only images conforming to the "green book" standard can be written as CD-i.	CD-i images can only be created with special authoring software as the structure defined in the "green book" is very specific.
You selected a disc image after clicking Data... in the CD-i format. You write the disc but it cannot be read by CD-i players.	The disc image might have had the wrong format.	Drag the image onto the main window. If it is not a CD-i image Toast will change to the appropriate format. "
<b>Video CD format</b>		
You import an MPEG stream and get the following message: "Your File" can not be used to create a Video CD. Please use the "Toast Ready" option in ASTARTE M. Pack.	The file does not contain the required information to create a Video CD.	Multiplexing has to be performed with the software "ASTARTE M. Pack" (version 1.02 or above). The option Toast Ready has to be checked.
When a Video CD is created from individual MPEG streams, what functionality will be available on the finished disc?		There will be one menu which allows you to play the videos, stop, fast forward, rewind, pause, go to next video track, and go to previous video track.
You drag an image file onto the main window while the "Video CD" format is selected. Toast changes to the "Disc Image" format.	Your file is not a valid Video CD disc image.	Use a Video CD authoring system to create a Video CD disc image or import MPEG streams created with "ASTARTE M. Pack".
<b>Enhanced Music CD format</b>		
You select a volume in "Enhanced Music CD" format and get the following message: "Your Volume" does not contain a CD EXTRA directory hierarchy or a QuAC file. It can not be used to create an Enhanced Music CD.	The structure of a CD EXTRA is very restrictive (defined in the "blue book"). Your volume does not contain such a structure nor does it contain a valid QuAC file.	Create a QuAC file with the software "Apple Interactive Music Toolkit™". Create a CD EXTRA hierarchy. Currently there is no authoring system which creates such a structure for you. Experienced programmers which have the "blue book" specifications can create the CD EXTRA structure manually.
You wrote an "Enhanced Music CD" track as second session of an audio CD. When you insert the disc in your computer you can only see the audio tracks, no data.	Older CD-ROM drivers do not read such discs correctly.	Install another CD-ROM driver: Apple CD-ROM driver version 5.1.x or above, "CD-ROM Toolkit™" or use your writer with the extension "Toast CD Reader".

## Toast User's Guide

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You put extra data into the folder "CD EXTRA" in order to make them visible on the PC. All file and folder names are cut.	Toast uses the naming convention "Allow MS-DOS names" for the ISO part of a CD EXTRA (see "ISO 9660 Format" on page 6-15).	If don't want Toast to transform the names for you, make sure that all names in the folder "CD EXTRA" have a length of 8.3 characters.
You get the following message before writing: The audio tracks will be written into the second session. Most likely this is not what you want.	In order to play the audio tracks on a CD player the tracks have to be placed in the first session of a disc.	For the first session of an Enhanced Music CD only select audio files in the Audio CD format. Then add the data as a second session on the same disc.
<b>SCSI Copy format</b>		
You copied a SCSI hard drive. The disc is not readable when inserted into a CD-ROM drive.	Almost no operating system (except the Mac OS) is able to read CD-ROMs which have the same file system as a hard drive. If you try to copy an MS-DOS formatted hard drive directly, you will not be able to read this disc, since DOS expects a read-only file system for CDs.	Mount the respective hard drive on the Macintosh and write the data in the "ISO 9660" format rather than using SCSI Copy.
You want to copy a disc directly. While checking the data rate or while writing you get an error message.	Not all CDs can be copied directly. CDs containing mode 2 form 2 cannot be copied. These are: Video CDs, CD-is, CD EXTRAS, Photo CDs, etc..	Use another application to extract the tracks of these discs so that they can be written back onto disc, for example, ASTARTE CD-Copy.
You copy a bootable CD but the copy is not bootable.	The wrong options were set in the SCSI Copy dialog.	Click Options... and UNCHECK the option "Clear Driver Descriptor Map" before copying the disc.
<b>Disc Image format</b>		
You want to mount a disc image and get the following message: "Your File" is fragmented. Please use a commercial Disk Optimizer to defragment the volume "Your Volume". You can also try to duplicate the file or copy it to another volume.	Only defragmented disc images can be mounted.	Defragment the volume which contains the disc image (e.g. with "Norton Speed Disk <sup>TM</sup> "). In some cases it might help to duplicate the image or to copy it to another volume.



<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You want to mount a disc image and get the following message: "Your File" could not be mounted because it contains an unknown file system. Most likely the system extensions files "Foreign File Access" and/or "ISO 9660 File Access" are not installed.	These files must be installed in your system folder in order to mount a disc image which is not in Macintosh HFS format.	Did you boot your Mac with all extensions OFF? Verify that the extensions folder in your system folder contains the files "Foreign File Access" and "ISO 9660 File Access". Restart your Mac with extensions ON.
You want to save a disc image and get the following message: The image file could not be created because the disk is full: x MB are needed, y MB are available.	The selected volume does not have enough free space to save the image.	Select another volume to save the image.
<b>Multitrack CD-ROM XA format</b>		
You add a file and get the following message Warning: The length of "Your File" is not a multiple of the sector size.	The file is not a valid CD-ROM XA file as it has an invalid length.	You can write this file to disc, but it might not be usable.
<b>Checking the Data Rate</b>		
You get the following message: A RAM Cache of x MB was requested but only y MB could be allocated. To make more memory available, try quitting other running applications (if any.)	A higher RAM cache than available RAM was defined in Preferences (menu Edit).	If you don't change anything, Toast uses the maximum available RAM for the RAM cache. Quit other applications to get more available RAM.
You get the following message: Couldn't complete the last command because of a Mac OS error. Error code = 2.	The selected data cannot be read by a Macintosh. This happens e.g. when you try to copy a disc which contains mode 2 form 2 or audio sectors.	Extract the tracks of the disc with appropriate software, e.g. "ASTARTE CD-Copy".
For information on other problems related to checking the data rate see "What to do if "Check Speed" fails" on page 7-4.		
<b>Before Writing</b>		
You get the following message: An unknown driver is installed for SCSI ID x. If you run into problems, please remember to disable the driver next time.	Some drivers cause problems during writing. These could be other CD-writer drivers, scanner drivers, etc..	you are running System 7.5.x, boot with all extensions off (shift-boot). With other System versions, disable all extensions which are not needed to write.

## Toast User's Guide

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You get the following message: This recorder can not write a CD-ROM track on a CD-ROM XA, sorry.	Some writers do not allow mixing formats on a disc. The inserted disc contains at least one CD-ROM XA track.	If Select the data in "ISO 9660" or "Mac/ISO Hybrid" format and choose CD-ROM XA for the format settings.
You get the following message: This recorder can not write a CD-ROM XA track on a CD-ROM, sorry.	Some writers do not allow mixing formats on a disc. The inserted disc contains at least one CD-ROM track.	Select the data in "Mac Files & Folders" or "Mac Volume" format. If you wish to use the "ISO 9660" or "Mac/ISO Hybrid" format, choose CD-ROM for the format settings. The disc is closed after this session (Write Session is not available).
You click Write Disc or Write Session and get the following message: Failed to allocate x MB of temporary hard disk cache on "Your Volume". Please use the "Preferences" menu item to select a different volume.	The selected data contains many small files which have to be saved to the temporary hard disk cache in order to avoid speed problems while writing. The selected hard disk does not have enough free space to save all the required files.	Choose Preferences from the Edit menu and select another hard drive which contains more free space than the currently selected. Or create a disc image of the selected data (then no temporary hard disk cache is needed).
The option Write Session is not available in the write dialog.	You have selected more than 625 MB of data to write. There is not enough free space on the disc to write more sessions after the current one. You chose "ISO 9660" or "Mac/ISO Hybrid" format and you did not choose the option CD-ROM XA for the format settings.	There wouldn't be enough space for another session, so Toast disables that option. Use a blank CD-R. Choose CD-ROM XA for the format settings in the ISO dialog Settings.
You get the following message: You can not write this disc with the selected recorder.	Not all writers can write all disc formats.	This message mostly appears when writing the following formats with some writers: Video CD, CD-i, Multitrack CD-ROM XA, Enhanced Music CD. Please contact your dealer. There might be a firmware update for your writer which enables it to write these kinds of discs.
<b>While Writing</b>		
You get the following message: SCSI Error: The SCSI connection is not stable. Please check the cables and termination.	This message only appears with unstable SCSI connections. Cables, terminators or SCSI ports might be damaged.	Check cables and termination. The problems might not be apparent in normal disk operations, but writing a disc requires perfect SCSI connections!

## Appendix

<i>Problem/Question</i>	<i>Information</i>	<i>Possible Solutions</i>
You get the following message: The drive reported an error:: Sense Key = ... Sense Code = 0x... Description	These messages are sent from the writer and are different for each brand / model of writer.	If you get an error which is not explained in this section please write down the Sense Code and the Description before requesting technical support. This will be a big help in resolving the problem.
Description = BUFFER UNDERRUN	The writer's data buffer ran out while writing. If this happens the write procedure will be aborted and the disc will be unusable.	Disable all system extensions which are not needed. Remove all drives from the SCSI chain which are not needed. Check cables and terminator. Replace them if necessary. Choose a lower write speed. Increase the RAM cache in Preferences from the Edit menu.
Description = TRACK FOLLOWING ERROR	This is a calibration problem. The write laser is not able to find the last bit of data on the disc.	Your recorder is not level. The inserted CD-R is damaged. The brand of media is not compatible with your writer. The writer's calibration mechanism is defective.
Sense Key = HARDWARE ERROR	These errors are mostly generated by the writer's hardware. The writer might be damaged.	If errors of this kind occur frequently please contact our technical support.
Sense Key = MEDIUM ERROR	Most of these errors occur because of problems with the particular brand or batch of CD-Rs you are using.	Change the brand of CD-Rs. There are big differences in quality.
<b>After Writing</b>		
While verifying you get the following message: Mismatch at byte x/sector y. Verification failed.	While comparing the disc with the original data a mismatch was found.	Verify the disc by choosing the Compare command (Utilities menu).
The Verify button is not available.	You probably selected one of these formats: Audio CD, Video CD, CD-i, Enhanced Music CD, Multitrack CD-ROM XA.	Only discs that are readable by the Mac can be verified.





# ▼▼▼▼ Index

## A

- Adding sessions 4-21
- AIFF 3-4
- Aliases 4-11, 6-7
  - Checking 5-12
- Allow Macintosh Names 6-23
- Allow MS-DOS Names 6-23
- Appearance of Windows 6-12
- Append to 6-28
- Append Version Numbers 6-25
- Apple CD Audio Player 6-39
- APPLE CD-ROM 3-13
- AppleScript A-3
- ASTARTE M. Pack 6-43
- AUDIO CD 4-44
- Audio CD format A-10
- Audio CDs 6-35
- Audio Extraction 6-38
- Audio Sectors 3-4
- Audio Tracks 3-4
- Audio Tracks Format 6-55
- Auto-Detect Format 6-52
- Autoloader 5-14
- AutoStart 6-5

## B

- Backups 4-23
- Block Size 6-32
- Blue Book 3-4
- Blue Book discs 6-45, A-11
- Bootable CDs 6-5

## C

- Calculate a checksum 5-5
- CD 3-4
- CD Extra 3-4, 3-6, 6-45
- CD Reader 2-1
- CD-i 3-5, 3-10, 4-50
- CD-i format 6-42, A-11
- CD-Recordable 3-5
- CD-rewritable A-1
- CD-ROM 6-22
- CD-ROM XA 6-22
- Check Aliases 5-12, 6-7
- Check Speed 7-4
- Checking the Data Rate A-13
- checksum 5-5
- Comments 6-1
- Compare 5-11
- Copy Menu 5-3
- Copying a CD 6-51
- Create Disc Image first 7-10
- Create Temporary Partition 5-10
- Customize Icons 4-13

## D

- Data Fork 6-25
- Data Rate
  - Checking A-13
- Desktop DB 6-10
- Desktop DF 6-10
- Desktop Files 6-10
- Disc Image 4-68, 4-71
  - Create before writing 7-10
  - mounting 5-9
- Disc Image format 6-52, A-12

## ***Toast User's Guide***

Disc Images 3-5  
Disc Info 5-8  
Disc-At-Once 3-5  
Disk Cache 5-4  
Don't copy free space 6-4  
DRAG & DROP MANAGER 7-5  
Drag & Drop Manager 3-12

## **E**

Edit Menu 5-3  
Eject 5-9  
Electronic Book 6-22  
Enhanced CD 4-56  
    Adding other data 4-60  
Enhanced Music CD 3-6  
Enhanced Music CD format A-11  
Enhanced Music CDs 6-45  
Erase Confirmation A-1  
Existing File Structure  
    Modifying 6-30  
Extract 8-5  
Extracting Tracks 8-6  
extraction 8-1

## **F**

File Menu 5-1  
Files  
    making invisible 6-9  
Files & Folders 6-8  
FOREIGN FILE ACCESS 3-13  
Format Menu 5-6

## **G**

Gap  
    Editing 6-40  
Greatest Hits 4-44, 6-35  
Green Book 3-6

## **H**

HFS 3-6, 6-8, 6-14  
HFS Discs 4-1, 4-7  
Hybrid 6-32  
Hybrid format 4-31

## **I**

Ignore Existing Sessions 6-27  
Illegal Names 6-19  
Import Session 6-29  
Imported Session  
    Removing 6-31  
Importing 6-9  
Incremental Backup 6-28  
Index Points 6-41  
Index-Point 3-6  
Info 6-6  
Info Dialog 6-6  
Installation 2-1  
Invisible files 6-9  
ISO 9660 3-7, 4-16, 6-15  
ISO 9660 format A-7  
ISO 9660 Level 1 6-23  
ISO Session 4-17  
ISRC-Code 3-7

## **J**

Joliet 6-24

## **L**

Layout 6-20  
Long file names 6-24

## **M**

Mac Files & Folders 4-7, 6-8  
Mac Files & Folders format A-6  
Mac Volume 4-1  
Mac Volume Format 6-1

- Mac Volume format A-5
- Mac/ISO Hybrid 4-31, 6-32
- Mac/ISO Hybrid format A-9
- Make System 6 Compatible 5-13
- Media Catalog Number 3-7
- Mixed Mode 3-7
- Mixed Mode CD 4-75
- Mixed Mode format 6-55
- mixed-mode CD 3-8
- Mount CD-ROM 5-9
- Mount Disc Image 5-9
- Mounting a disc image 5-2
- Mounting Disc Images 6-53
- MPEG 3-7
- MPEG Streams 6-43
- MPEG Tracks 6-43
- Multisession 3-8
- Multisession HFS 6-14
- Multisession Hybrid Discs 6-33
- Multisession ISO 6-27
- Multitrack CD-ROM XA 4-73
- Multitrack CD-ROM XA format 6-54, A-13
- Multivolume 3-8

## **N**

- Naming 6-22
- Naming Tracks 6-38
- Network Backups 4-15
- Network Volumes 4-15
- Numeric Markers 6-41

## **O**

- Open 5-1
- Optimize For Size 6-3
- Optimize For Speed 6-3
- Optimize for Speed 6-32
- Optimizer 6-2
  - Disadvantages 6-4
- Orange Book 3-8
- Order of Files 6-14

- Overlap 8-4

## **P**

- Pause 3-8
  - Editing 6-40
- Photo CDs 4-73
- PowerBooks 3-12
- Preferences 5-4
- Preferred Drive 5-5
- Pregap and Postgap 6-53
- Previewing Tracks 6-38

## **Q**

- Q-Codes 3-8
- QuAC File 3-9, 6-46
- QuAC file 3-6
- Quick Erase A-1
- Quit 5-3

## **R**

- RAM Cache 5-5
- Rearranging Old Sessions 4-26
- Rearranging Tracks 6-37
- Recorder Info 5-8
- Recorder Menu 5-7
- Red Book 3-9
- Registration 1-3
- Removing an Imported Session 6-31
- Removing Tracks 6-37
- Renaming
  - Disc 6-17
  - Files 6-9, 6-17
  - Folders 6-9, 6-17
  - the Disc 6-9
- Resolve Aliases 4-12, 6-12, 6-19
- Resource Fork 6-25
- Revert 5-2
- Rockridge Extensions 6-26
- Run-Out Sectors 3-9

## **S**

- Save 5-1
- Save as 5-1
- Save as Disc Image 5-2
- Scrambled 6-53
- Scrambling 3-9, 6-42
- SCSI Copy 4-63, 4-64
- SCSI Copy format 6-49, A-12
- SCSI MANAGER 7-5
- SCSI Manager 4.3 3-11
- Sector Size 6-53
- sectors types 3-2
- Selecting Items 6-11
- Selecting Tracks 6-36
- Session 3-9
- Set Defaults 6-26
- Settings 6-21
- Shared Data 4-34, 4-41, 6-32
- Short Names 6-25
- Simulation Mode 5-7, 7-9
- Speed 7-9
- Standard Erase A-1
- SyQuest 3-13
- System Configuration 3-11
- System Requirements 3-11

## **T**

- TAE 8-1
- Text Markers 6-41
- THREAD MANAGER 7-5
- Thread Manager 3-12
- Toast Audio Extractor 8-1
- Toast CD Reader 2-1
- Toaster's Checklist 3-11
- TOC 3-9
- Track 3-10
- Track Display 8-2
- Track List 8-2
- Track-At-Once 3-10
- track-at-once 3-8

## Tracks

- Extraction 6-38
- naming 6-38
- Previewing 6-38
- Rearranging 6-37
- Removing 6-37
- Saving as Sound Files 6-38

Transfer Rate 7-1

Troubleshooting A-5

## **U**

UNIX Files 6-26

Updates 1-3

Use Apple Extensions 6-25

Utilities Menu 5-9

## **V**

Video CD 3-10, 4-52

Video CD format 6-43, A-11

## **W**

White Book 3-10

Window layout 6-12

Windows95 File Names 6-24

Write Dialog 7-9

Write Speed 5-7

## **Y**

Yellow Book 3-10

## **Z**

Zoom Controls 8-6





